TP1, 422/01

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID: SSPTAEAL1624

PASSWORD: TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * Welcome to STN International

Web Page URLs for STN Seminar Schedule - N. America CHEMLIST enhanced with New Zealand Inventory of Chemicals CA/CAplus Company Name Thesaurus enhanced and reloaded IPC version 2007.01 thesaurus available on STN WPIDS/WPIX enhanced with IPC B reclassification data CA/CAplus updated with revised CAS roles CA/CAplus enhanced with patent applications from India PHRA reloaded with new search and display fields CAS Registry Number crossover limit increased to 300,000 in GENBANK reloaded and enhanced with Genome Project ID field CHEMCATS enhanced with 1.2 million new records CA/CAplus enhanced with 1870-1889 U.S. patent records INPADOC replaced by INPADOCDB on STW TOXCENTER enhanced with reloaded MEDLINE IFICDB/IFIPAT/IFIUDB reloaded with enhancements CAS Registry Number crossover limit increased from 10,000 PAIDPASPC enhanced with Drug Approval numbers RUSSIAPAT enhanced with pre-1994 records KOREAPAT enhanced with IPC 8 features and functionality to 300,000 in multiple databases
WPIDS/WPIX enhanced with new FRAGHITSTR display format
CASREACT coverage extended
MARPAT now updated daily
LWPI reloaded NOVEMBER 10 CURRENT WINDOWS VERSION IS V8.01c, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 25 SEPTEMBER 2006. RDISCLOSURE reloaded with enhancements INPADOCDB will replace INPADOC on STN JICST-EPLUS removed from database clusters and STN MEDLINE reloaded with enhancements EMBASE enhanced with Clinical Trial Number field multiple databases MAR 15
MAR 20
MAR 20
MAR 22
MAR 30
MAR 30
APR 30
APR 30
APR 30
APR 30 FEB 15 FEB 23 FEB 26 FEB 26 FEB 26 FEB 26 JAN 08
JAN 16
JAN 16
JAN 16
JAN 22
JAN 22
JAN 22 NEWS EXPRESS NEWS HOURS NEWS LOGIN NEWS 16 NEWS 17 NEWS NEWS NEWS NEWS NEWS NEWS

<12/04/2007>

Erich Leese

All use of STN is subject to the provisions of the STN Customer

STN Operating Hours Plus Help Desk Availability Welcome Banner and News Items For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that

specific topic.

NEWS IPC8

10/513699

agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 15:32:52 ON 30 APR 2007

SINCE FILE ENTRY 0.21 => file reg
COST IN U.S. DOLLARS FULL ESTIMATED COST

TOTAL SESSION 0.21

FILE 'REGISTRY' ENTERED AT 15:33:03 ON 30 APR 2007
USE IS SUBJECT TO THE TERMS OF YOUR STR CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERNS" FOR DETAILS.
COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by Infochem.

29 APR 2007 HIGHEST RN 913681-85-7 29 APR 2007 HIGHEST RN 913681-85-7 STRUCTURE FILE UPDATES: DICTIONARY FILE UPDATES: New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH December 2, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

Uploading C:\Program Files\Stnexp\Queries\10524197.str

STRUCTURE UPLOADED

HAS NO ANSWERS 11 q

Erich Leese

G1 C, O, S, N

Structure attributes must be viewed using STN Express query preparation.

=> \$ 11 SAMPLE SEARCH INITIATED 15:33:33 FILE 'REGISTRY' SAMPLE SCREEN SEARCH COMPLETED - 268 TO ITERATE

268 ITERATIONS 100.0% PROCESSED SEARCH TIME: 00.00.01

32 ANSWERS

FULL FILE PROJECTIONS:

6342 979 ONLINE **COMPLETE**
BATCH **COMPLETE** 4378 TO 301 TO PROJECTED ITERATIONS: PROJECTED ANSWERS:

Ľ 32 SEA SSS SAM 77

FULL SEARCH INITIATED 15:33:36 FILE 'REGISTRY' FULL SCREEN SEARCH COMPLETED - 5280 TO ITERATE s 11 full => S FULL

100.0% PROCESSED 5280 ITERATIONS SEARCH TIME: 00.00.01

709 ANSWERS

n

709 SEA SSS FUL L1

TOTAL SESSION 172.31 ENTRY 172.10 SINCE FILE => file caplus COST IN U.S. DOLLARS FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 15:33:42 ON 30 APR 2007
USE IS SUBJECT TO THE TENNS OF YOUR STR CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERNS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 25, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the

<12/04/2007>

Erich Leese

10/513699

American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited

VOL 146 ISS 19 (20070429/ED) FILE COVERS 1907 - 30 Apr 2007 FILE LAST UPDATED: 29 Apr 2007 Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/infopolicy.html

17 L3 => s 13 full L4 => s 14 and py<2003 22885160 PY<2003

6 L4 AND PY<2003 12

=> d ibib abs hitstr

ACCESSION NUMBER:

ANSWER 1 OF 6 CAPLUS COPYRIGHT 2007 ACS on STN SSATON NUMBER: 2002:659130 CAPLUS MENTY NUMBER: 137:201298 DOCUMENT NUMBER:

Preparation of substituted isoxazolines as anti-depressants

Andree-611, Jose Ignacio, Fernandez-Gadea, Francisco Juvier, Alcazar-Veraca, Manuel Jesus, cid-Nunez, Jose Maria, Pastor-Fernandez, Joaquin, Megens, Antonius Adrianus Hendrikus Petrus, Heylen, Godelieve Irma Christine Maria, Langlois, Xavier Jean Michel, Bakker, Margaretha Henrica Maria, Steckler, Thomas Horst Wolfgang INVENTOR (S):

Janssen Pharmaceutica N.V., Belg. PCT Int. Appl., 100 pp. CODEN: PIXXD2 PATENT ASSIGNEE(S): SOURCE:

Patent English DOCUMENT TYPE: LANGUAGE:

FAMILY ACC. NUM. COUNT: PATENT INFORMATION:

20020213 <--CA, CH, CH, GD, GE, GH, LC, LK, LR, NZ, OM, PH, A, TE, TT, TZ, AT, BE, CH, PT, SE, TR, SN, TD, TG 20020213 <--20020213 <--A1 20020829 WO 2002-EP1567 2
U, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD,
U, ID, ILI, IN, IS, TP, KE, KG, KP, KR, KZ, LC,
U, NA, MD, MG, MK, MM, MW, MX, MZ,
O, RU, SD, SE, SI, SK, SI, TJ, TM, TN, TR,
S, LZ, WW, MZ, SD, SI, SK, SI, TJ, TM, TN, TR,
K, ES, FI, FR, GB, GR, IE, TJ, LW, MC, NI, PT,
K, ES, FI, FR, GB, GR, IE, IT, LU, MC, NI, PT,
K, ES, FI, CM, GA, GN, GQ, MM, MK, NE, SN,
A1 20020829 AU 2002-244717
A1 20060823
H, DE, DK, ES, FR, GB, GR, IT, LI, LU, NI, SE,
H, DE, DK, ES, FR, GB, GR, IT, LI, LU, NI, SE, APPLICATION NO. KIND 2002244717 1368358 1368358 R: AT, BE, PATENT NO. 2437505 EBBBB

Erich Leese <12/04/2007>

Ë

BE,

SE, MC, PT,

	20020213	20020213	20020213	20020213	20020213	20020213	20020213	20020220	20030708	20030820	20030820	20030821		20010221	20010405	20020213	
														Ø	Æ	3	
CY, AL, TR	EE 2003-398	2003-3270			2002-7433	2002-565998		, ,			2003-6487	2003-468555			2001-201264	2002-EP1567	
, A	田田	H	ö	NZ	BR	Ŗ	AT	3	BG	8	ZA	ns		E	ΕP	ð	
FI, RO, MK, C)		20040128	20040428	20040430	20040601	20040624	20060915	20060701	20040930	20031021	20041122	20040624	20070130				MARPAT 137:201298
۲,	Ø	A 2	Ø	æ	Æ	H	H	œ	ď	ø	Æ	Ą	B2				MARP
SI, LT,														٠ <u>٠</u>		•	_
IE, SI	200300398	200303270	1492871	526741	2002007433	2004518748	337322	••	107984	2003003700	2003006487	2004122037	US 7169786	PRIORITY APPLN. INFO.			OTHER SOURCE(S):
	田田	DH.	Ü	NZ	BR	дъ	AT	MI	BG	NO	ZA	SD	SD	PRIORITY			OTHER SO

H

Title compds. I [wherein X = CH2, NR7, S or 0; R7 = H, (un)substituted alkyl, Ph. Ph alkyl, etc.; R1 and R2 independently = H, OH, CN, halo, OSO2H, (un)substituted Ph, phenylalkyl, alkoxy, etc.; or R1 and R2 may be taken together to form a bivalent radical selected from -CH2CH2O., -OCH2CH2-, -OCH2CH2 and -OCH2CH2O-; m = 1-4; Y = (un)substituted piperidyl or piperaxyl radical and R3 represents an (un)substituted aromatic homocyclic or heterocyclic ring system including a partially or completely hydrogenated hydrocarbon chain of maximum 6 atoms long with which the ring æ

Erich Leese <12/04/2007>

10/513699

system is attached to the Y radical and which may contain one or more heteroatoms selected from the group of 0. N and S), a process for their preparation, pharmaceutical compus. comprising them and their use as a medicine for treating anxiety disorders and disorders of body weight are disclosed. Thus, II was prepared in 60% yield by reaction of III with N-(3-pheny1-2-propeny1)-piperazine. III was prepared by substitution of Me 4-bromo-2-butenoate with 2-hydroxy-4,5-dimethoxybenzaldehyde with subsequent condensation with Methydroxylamine, cyclization, reduction and subsequent condensation with hydroxylamine, cyclization, reduction and sulfonation with methanesulfonty chloride. The compds according to the invention have suprisingly been shown to have a serotomin (5-HT) reuptake inhibitor activity and show a strong anti-depressant activity without often also at the huza and pass and simultaneously at the a-HT transporter site of more than 50% (pic50) at a test concentration ranging between 10-6 M and 10-9 M in a concentration dependent manner. The invention also relates to novel combination of substituted isoxazolines derive. Having anti-depressant activity and/or anxiolytic activity and/or antipasychotics to improve efficacy and/or anxiolytic activity and/or anxiolytics and 452321-37-69-69 452321-37-69-87-88-48 452321-39-99-88 452321-39-99-89 452322-31-99-98 452322-31-98-98 452322-31-98-98 452322-31-98-98-98-98-98-98-98-98-98-98-98-

H

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
(Reactant or reagent) (intermediate; preparation and pharmaceutical activity of substituted isoxazolines as anti-depressants)

452321-67-4 CAPLUS Z Z

3H-[1]Benzopyrano[4,3-c]isoxazole-3-carboxylic acid, 3a,4-dihydro-7,8-dimethoxy-, methyl ester, (3R,3aS)-rel- (9Cl) (CA INDEX NAME)

Relative stereochemistry.

3H-[1] Benzopyrano [4,3-c] isoxazole-3-methanol, 3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) 452321-69-6 CAPLUS Z Z

Relative stereochemistry

Erich Leese

Z Z

452321-71-0 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole-3-methanol, 3a,4-dihydro-7,8-dimethoxy-, methanesulfonate (ester), (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

3H-[1]Benzopyrano[4,3-c]isoxazole-3-methanol, 3a,4-dihydro-7-hydroxy-8-methoxy-, a-methanesulfonate, (3K,3aS)-rel- (9CI) (CA INDEX NAME) RN 452321-73-2 CAPLUS CN 3H-[1]Benzopyrano[4.

Relative stereochemistry.

452321-75-4 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-(1-piperazinylmethyl)-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) S S

Relative stereochemistry.

<12/04/2007>

Erich Leese

10/513699

452321-77-6 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole-3-methanol, 3a,4-dihydro-7,8-dimethoxy-, methanesulfonate (ester), (3R,3aS)-rel-(+)- (9CI) (CA INDEX NAME) S 53

Rotation (+). Absolute stereochemistry unknown.

RN 452321-80-1 CAPLUS CN 3H-[1]Benzopyrano[4,3-c]isoxazole-3-methanol, 3a,4-dihydro-7,8-dimethoxy-, methanesulfonate (ester), (3R,3aS)-rel-(-)- (9CI) (CA INDEX NAME)

Rotation (-). Absolute stereochemistry unknown.

452321-82-3 CAPLUS
1-Piperazincearboxylic acid, 4-[[(3R,3aS)-3a,4-dihydro-7,8-dimethoxy-3H[1]benzopyrano[4,3-c]isoxazol-3-yl]methyl]-, 1,1-dimethylethyl ester, rel[9CI) (CA INDEX NAME) 2 Z

Relative stereochemistry.

Z Z

452321-85-6 CAPLUS
2-Propanone, 1-[4-[[(3R,3aS)-3a,4-dihydro-7,8-dimethoxy-3H[1]benzopyrano[4,3-c]isoxazol-3-yl]methyl]-1-piperazinyl]-, rel- (9CI)
(CA INDEX NAME)

Relative stereochemistry.

452121-87-8 CAPLUS Piperazine, 1-[[(3x3aS)-3a,4-dihydro-7,8-dimethoxy-3H-[1]benzopyrano[4,3-c]isoxazol-3-yl]methyl]-4-[(3,4-dihydro-2-naphthalenyl)carbonyl]-, rel-(9Cl) (CA INDEX NAME) **Z** Z

Relative stereochemistry.

452321-89-0 CAPLUS
hosphonium, [2-(1(3R,)as].)a,4-dihydro-7,8-dimethoxy-3H[1]benzopyrano[4,3-c]isoxazol-3-yl]methyl]-1-piperazinyl]ethyl]triphenyl-,
bromide, rel- (9CI) (CA INDEX NAME) S S

Erich Leese <12/04/2007>

10/513699

Relative stereochemistry.

Br-

452321-91-4 CAPLUS
Piperazine, 1-[([3R,3aS]-3a,4-dihydro-7,8-dimethoxy-3H-[1]benzopyrano[4,3-6]isoxazol-3-yl]methyl]-4-(3-iodo-2-methyl-1-oxo-2-propenyl)-, rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry unknown.

452121-93.6 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-3-[[4-(3-iodo-2-methyl-2-propenyl)-1-piperazinyl]methyl]-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CAINDEX NAME) **3** 3

Relative stereochemistry. Double bond geometry unknown.

Erich Leese

RN 452321-95-8 CAPLUS
CN 1-Piperazineechanol, 4-[[(3R,3aS)-3a,4-dihydro-7,8-dimethoxy-3H[]]Denzopyzano[(4,3-c)]isoxazol-3-yl]methyl]- a-methyl-, rel- (9CI)
(CA INDEX NAME)

Relative stereochemistry.

RN 452321-97-0 CAPLUS
CN 1,2-Propanediol, 3-[4-[[(3R,3aS)-3a,4-dihydro-7,8-dimethoxy-3H[1]benzopyrano[4,3-c]isoxazol-3-yl]methyl]-1-piperazinyl]-, rel- (9CI)
(CA INDEX NAME)

Relative stereochemistry.

RN 452321-99-2 CAPLUS CN 1-Piperazineacetaldehyde, 4-[[(3R,3aS)-3a,4-dihydro-7,8-dimethoxy-3H-[1]benzopyrano[4,3-c]isoxazol-3-yl]methyl]-, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

<12/04/2007> Erich Leese

10/513699

RN 452322-05-3 CAPLUS
CN Isoxazolo[4,3-c]quinoline-3-carboxylic acid, 3,3a,4,5-tetrahydro-5(trifluoroacetyl)-, methyl ester, (3R,3aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

452322-07-5 CAPLUS ISOxazolo[4,3-c]quinoline-3-methanol, 3,3a,4,5-tetrahydro-, (3R,3aR)-rel-(9CI) (CA INDEX NAME)

S S

Relative stereochemistry.

Relative stereochemistry,

RN 45232-19-9 CAPLUS
CN 1-Piperazincearboxylic acid, 4-[[(3R,3aR)-3,3a,4,5-tetrahydro-7,8-dimethoxy-5-(trifiluorcacetyl)isoxazolo[4,3-c]qqinolin-3-yl]methyl]-,
1,1-dimethylethyl ester, rel- (9Cl) (CA INDEX NAME)

Relative stereochemistry.

Erich Leese

452322-21-3 CAPLUS

1-Piperazinecarboxylic acid, 4-[[(3R,3aR)-3,3a,4,5-tetrahydro-7,8-dimethoxyisoxazolo[4,3-c]quinolin-3-yl]methyl]-, 1,1-dimethylethyl ester, rel- (9C1) (CA INDEX NAME) Z Z

Relative stereochemistry.

452322-23-5 CAPLUS Isoxazolo[4,3-c]quinoline, 3,3a,4,5-tetrahydro-7,8-dimethoxy-3-(1-piperazinylmethyl)-, (3R,3aR)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry.

Z Z

452132-29-1 CAPLUS
1-Piperidinecarboxylic acid, 4-[[[(1R,1aS)-3a,4-dihydro-7,8-dimethoxy-3H-[1]benzopyrano[4,3-c]isoxazol-3-yl]methyl]amino]methyl]-,
1,1-dimethylethyl ester, rel- (9C1) (CA INDEX NAME)

Relative stereochemistry.

<12/04/2007>

Erich Leese

10/513699

Z 23

452322-30-4 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole-3-methanamine, 3a,4-dihydro-7,8-dimethoxy-N-(4-piperidinylmethyl)-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

H

Z Z

Z Z

452323-46-5 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[2-(diphenylphosphino)ethyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA

<12/04/2007>

INDEX NAME)

Relative stereochemistry.

H

452313-32-5P 452313-68-7P 452313-71-2P
452313-80-3P 452313-678-8P
RL: PAC (Pharmacological activity); PUR (Purification or recovery); SPN
(Synthetic preparation); THU (Therapeutic use); BIOL (Biological study);
PREP (Preparation); USES (Uses)
(target compound, preparation and pharmaceutical activity of substituted isoxacolines as anti-depressants)
452313-32-5 CAPLUS
3H-[1]Benzopyrano[4]-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-3-phenyL-2-propenyl]-1-phperazinyl]methyl]-, dihydrochloride,
(3R,3as)-rel-(+)- (9CI)

S S

Rotation (+). Absolute stereochemistry unknown. Double bond geometry as shown.

●2 HCl

Z Z

452313-68-7 CAPLUS Isoxazalo[4,1-d]quinoline, 3,3a,4,5-tetrahydro-7,8-dimethoxy-3-[[4-[(2E)-2-methyl-2-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aR)-rel-(+)-(9CI) (CA INDEX NAME)

Rotation (+). Absolute stereochemistry unknown. Double bond geometry as shown.

Erich Leese <12/04/2007>

10/513699

3 3

Rotation (-). Absolute stereochemistry unknown. Double bond geometry as shown.

452313-80-3 CAPLUS
31.[1]Berzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-(2-naphthalenylmethyl)-1-piperazinyl]methyl]-, dihydrochloride, [3R,3aS]-rel-+)- (9CI) (CA INDEX NAME) S S

Rotation (+). Absolute stereochemistry unknown.

●2 HCl

452313-82-5 CAPLUS

Z

<12/04/2007>

Rotation (-). Absolute stereochemistry unknown.

●2 HCl

3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, dihydrochloride, (3R,3aS)-rel-(-)- (9CI) (CA INDEX NAME) 452316-78-8 CAPLUS ₹ 3

Rotation (-). Absolute stereochemistry unknown. Double bond geometry as shown.

D2 HCl

PL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses) (target compound; preparation and pharmaceutical activity of substituted isoxazolines as anti-depressants)
452313-59-6 CAPLUS
ISOxazolo(4,3-c)quinoline, 3,3a,4,5-tetrahydro-3-[[4-(2-naphthalenylmethyl)-1-piperazinyl]methyl]-, (3R,3aR)-rel- (9CI) (CA INDEX NAME) H Z Z

Erich Leese

<12/04/2007>

10/513699

Relative stereochemistry.

452313-36-9P 452313-40-SP 452313-43-8P 452313-6-1P 452313-61-DP 452313-54-1P 452313-74-5P 452313-61-DP 452313-85-8P 452313-74-5P 452313-1P-6P 452313-93-8P 452313-98-3P 452313-1P-6P 452313-93-8P 452314-08-8P 452314-1DP 452314-14-6P 452314-3P-452314-113P 452314-14-6P 452314-3P-452314-4P-0P 452314-3P-3P 452314-4P-P 452314-4P-1P 452314-4-4P 452314-5P-P 452314-6P-2P 452314-5P-4P 452314-5P-P 452314-6P-2P 452314-6P-4P 452314-6P-P 452314-6P-P 452314-6P-P 452314-6P-P 452314-6P-P 452314-6P-P 452314-7P-P 452314-6P-P 452314-6P-P 452314-7P-P 452314-6P-P 452314-6P-P 452314-7P-P 452314-6P-P 452314-1P-PP 452314-7P-P 452314-6P-P 452314-1P-PP 452314-7P-P 452314-6P-P 452314-1P-PP 452314-83-9P 452314-86-2P 452314-89-5P 452314-99-CP 452314-99-CP 452315-01-4P 452315-01-4P 452315-01-0-5P 452315-10-5P 452315-10-P 452315-19-4P 452315-22-9P 452315-24-1P 452315-27-4P 452315-30-9P 422315-33-2P 452315-36-5P 452215-38-PP 422315-46-7P 452315-42-3P 452315-44-5P 452315-46-7P 452115-48-9P 452115-51-4P 452315-52-5P 452115-55-8P 452315-58-1P 452315-61-6P 452315-63-8P 452315-66-1P 452315-70-7P 452315-73-0P 452315-76-3P 452315-79-6P 452315-85-4P 452315-87-6P 452315-90-1P 452315-92-3P 452315-94-5P 452315-97-8P 452315-97-8P 452315-97-8P 452316-15-3P 452316-18-6P 452316-21-1P 452316-24-4P 452316-27-7P 452316-30-2P 452317-14-5P 452317-16-7P 452317-18-9P 452317-20-3P 452317-22-5P 452317-24-7P 452317-26-9P 452317-26-9P 452317-28-1P 452317-30-5P 452316-24-4P 452316-27-7P 452316-33-5P 452316-36-8P 452316-51-7P 452316-53-9P 452316-06-2P 452316-09-5P 452316-42-6P 452316-45-9P 452316-58-4P 452316-64-2P 452316-81-3P 452316-84-6P 452316-89-1P 452316-91-5P 452317-08-7P H

<12/04/2007>

```
452117-32-7P 452117-34-9P 452317-36-1P
452117-38-3P 452117-40-7P 452317-4-9P
452117-44-1P 452117-46-7P 452317-4-9P
452117-50-9P 452317-6-3P 452317-6-3P
452117-50-9P 452317-58-7P 452317-6-3P
452117-71-4P 452317-7-8P 452317-6-9P
452317-7-1-4P 452317-8-7P 452317-8-9P
452317-7-1-4P 452317-8-7P 452317-9-9P
452317-94-1P 452317-8-7P 452317-9-9P
452318-9-4P 452318-9-4P 452318-9-9P
452318-9-1P 452318-9-9P
452318-15-9P 452318-9-9P
452318-15-9P 452318-17-7P
452318-15-9P 452318-1-1P
452318-15-9P 452318-1-1P
452318-1P
452318-1-1P
452319-1-1P
```

Z Z

(target compound, preparation and pharmaceutical activity of substituted isoxazolines as anti-depressants)
452313-36-9 CAPLUS
3H-(11Benzopyranol4,3-clisoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

452313-40-5 CAPLUS Z.

Erich Leese <12/04/2007>

10/513699

3H-[1]Benzopyrano[4,3-c]isoxazol-7-ol, 3a,4-dihydro-8-methoxy-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI)
(CA INDEX NAME) Z

Relative stereochemistry. Double bond geometry as shown.

452313-43-8 CAPLUS
31-[1] Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-(6-quinolinylmethyl)-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) C Z

Relative stereochemistry.

452113-46-1 CAPLUS
3H-[I]Benzopyzano[4,3-c]isoxazole, 3-[[4-[(ZE)-3-(4-fluorophenyl)-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-,
[3R,3aS]-rel-(-)- (9CI) (CA INDEX NAME) Z Z

Rotation (-). Absolute stereochemistry unknown. Double bond geometry as shown.

452313-50-7 CAPLUS Z Z

3H-[1]Benzopyrano[4,3-c]isoxazol-7-ol, 3a,4-dihydro-8-methoxy-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, acetate (ester), (3R,3aS)-rel- (9Cl) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

452313-54-1 CAPLUS
4F11]8enzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-3-phenz-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel-(+)- (9CI) (CA INDEX NAME) £ 5

Rotation (+). Absolute stereochemistry unknown. Double bond geometry as shown.

452313-56-3 CAPLUS
4F1lBenzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel-(-)- (9CI) (CA INDEX NAME) **3 3**

Rotation (-). Absolute stereochemistry unknown. Double bond geometry as shown.

<12/04/2007>

10/513699

452313-61-0 CAPLUS Isoxazolo[4,3-c]quinoline, 5-acetyl-3,3a,4,5-tetrahydro-3-[[4-(2-naphthalenylmethyl)-1-piperazinyl]methyl]-, (3R,3aR)-rel- (9CI) (CA INDEX NAME) S S

Relative stereochemistry.

452313-65-4 CAPLUS Isoxazalof(4,2)-clquinoline, 3,3a,4,5-tetrahydro-7,8-dimethoxy-3-[[4-[(2E)-2-nebhyl-2-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aR)-rel- (9CI) (CA INDEX NAME) 2 2

Relative stereochemistry. Double bond geometry as shown.

452113-74-5 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[(3-chlorophenyl)methyl]-1piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy- (9CI) (CA INDEX NAME) Z Z

RN 452313-77-8 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-(2-naphthalenylmethyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

,ជ

Relative stereochemistry.

RN 452313-85-8 CAPLUS
CN 3H-[1] Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-2-methyl-3-13-thienyl)-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel-(9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

RN 452313-88-1 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[(4-chlorophenyl)methyl]-1piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA
INDEX NAME)

<12/04/2007> Erich Leese

10/513699

Relative stereochemistry.

RN 452313-91-6 CAPLUS
CN 34-(1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-3-(2-methyl)phenyl)-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI)
(CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

RN 452313-93-8 CAPLUS
CN 31-[1]aerzopyrano[4,3-c]isoxazole, 3-[[4-[(3,4-dihydro-2-naphthaleny])methyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

RN 452313-98-3 CAPLUS CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-2-methyl-3-(2-pyridinyl)-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel-

Erich Leese

(9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

Z Z

452314-01-1 CAPLUS
3H-(11Benzogyano(4,3-c)isoxazole, 3-[[4-[(2E)-3-(4-fluorophenyl)-2-methyl-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-,
(3R,3aS)-rel-(+)- (9CI) (CA INDEX NAME)

Rotation (+). Absolute stereochemistry unknown. Double bond geometry as shown.

452314-05-5 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-(3-phenyl-2-butenyl)-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX S S

Relative stereochemistry. Double bond geometry unknown.

Erich Leese <12/04/2007>

10/513699

1-Piperazineethanamine, $4 \cdot [(3R,3aS) - 3a,4 \cdot dihydro-7,8 \cdot dimethoxy-3H-[1]benzopyrano[4,3 \cdot c]isoxazol-3 \cdot yl]methyl] - <math>\alpha$ -methyl-N-phenyl-, rel-(9CI) (CA INDEX NAME) 452314-08-8 CAPLUS S S

Relative stereochemistry.

452314-11-3 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[2-(3-fluorophenoxy)propyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy- (9CI) (CA INDEX NAME) Z 5

452314-14-6 CAPLUS
3H-[1]Benzopyrano[4, 3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-(2-inaphthenylmethyl)-1-piperazinyl]methyl]-, dihydrochloride, (3R,3aS)-rel-(9CI) (CA INDEX NAME) S S

Relative stereochemistry.

<12/04/2007>

●2 HCl

452314-16-8 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole-3-methanamine, 3a,4-dihydro-7,8-dimethoxy-N-[1-(2-naphthalenylmethyl)-4-piperidinyl]-, (3R,3aS)-rel-(9CI)
(CA INDEX NAME)

C S

Relative stereochemistry.

RN 452314-18-0 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-(phenylmethyl)-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

<12/04/2007> Erich Leese

10/513699

RN 452314-20-4 CAPLUS CN 3H-[1] Benzopyrano[4,3-c] isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[[2-(rifluoromethyl) phenyl] methyl] -1-piperazinyl] methyl] (9CI) (CA INDEX NAME)

RN 452314-23-7 CAPLUS
CN 31-[1] Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[[3-(trifluoromethy1)pheny1]methy1]-1-piperaziny1]methy1] - (9CI) (CA INDEX NAME)

RN 452314-26-0 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[[4-[trifluoromethyl]phenyl]methyl]-1-piperazinyl]methyl}- (9CI) (CA INDEX NAME)

RN 452314-29-3 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[[2-

<12/04/2007>

(1.1.2.2.tetrafluoroethyl)phenyl]methyl]-1-piperazinyl]methyl]- (9CI) (CA INDEX NAME)

RN 452314-31-7 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[(2-bromophenyl)methyl]-1piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy- (9CI) (CA INDEX NAME)

RN 452314-34-0 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[(3-bromophenyl)methyl]-1piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy- (9CI) (CA INDEX NAME)

RN 452314-37-3 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[(4-bromophenyl]methyl]-1piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy- (9CI) (CA INDEX NAME)

<12/04/2007> Erich Leese

10/513699

RN 452314-40-8 CAPLUS
CN 3H-[1] Benzopyrano[4,3-c]isoxazole, 3-[[4-[(3-fluorophenyl)methyl]-1piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI)
INDEX NAME)

(CA

Relative stereochemistry.

RN 452314-43-1 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[(4-fluorophenyl)methyl]-1piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, dihydrochloride,
(3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

•2 HCl

RN 452314-46-4 CAPLUS

<12/04/2007>

Š CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[(2-fluorophenyl)methyl]-1piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI)
INDEX NAME)

Relative stereochemistry.

452314-49-7 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(4-nitrophenyl)methyl]-1-piperazinyl]methyl]- (9CI) (CA INDEX NAME) £ 5

452314-52-2 CAPLUS
Benzenamine, 4-[[4-[(3a,4-dihydro-7,8-dimethoxy-3H-[1]benzopyrano[4,3-c]isoxazol-3-yl]methyl]-1-piperazinyl]methyl]-N.N-dimethyl- (GAINDEX NAME) Z Z

Z Z

452314-55-5 CAPLUS
Acetamide, N-[4-[[4-[(3a,4-dihydro-7,8-dimethoxy-3H-[1]benzopyrano[4,3-c]isoxazol-3-yl)methyl]-1-piperazinyl]methyl]phenyl]- (9CI) (CA INDEX

Erich Leese <12/04/2007>

10/513699

NAME)

452314-57-7 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[(2-ethoxyphenyl)methyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy- (9CI) (CA INDEX NAME) Z Z

452314-60-2 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(3-phenoxyphenyl)methyl]-1-piperazinyl]methyl]- (9CI) (CA INDEX NAME) N N

452314-62-4 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(4phenoxyphenyl)methyl]-1-piperazinyl]methyl]- (9CI) (CA INDEX NAME) Z 2

<12/04/2007>

452314-65-7 CAPLUS
1-Proparamine, 3-[4-[[4-[(3a,4-dihydro-7,8-dimethoxy-3H-[1]benzopyrano[4,3-c]isoxazol-3-yl)methyl]-1-piperazinyl]methyl]phenoxyj-N,N-dimethyl- (9CI)
(CA INDEX NAME) S S

452114-68-0 CAPLUS Benzoic acid, 4-[[4-[(3a,4-dihydro-7,8-dimethoxy-3H-[1]benzopyrano[4,3-c]isoxazol-3-yl)methyl]-l-piperazinyl]methyl]-, methyl ester (9CI) (CA INDEX NAME) Z Z

452314-71-5 CAPLUS
Benzonitrile, 3-[[4-[(3a,4-dihydro-7,8-dimethoxy-3H-[1]benzopyrano[4,3-c]isoxazol-3-yl)methyl]-1-piperazinyl]methyl]- (9CI) (CA INDEX NAME) Z Z

Erich Leese

<12/04/2007>

452314-74-8 CAPLUS
Benzonitrile, 4-[[4-[(3a,4-dihydro-7,8-dimethoxy-3H-[1]benzopyrano[4,3-c]isoxazol-3-yl)methyl]-1-piperazinyl]methyl]- (9CI) (CA INDEX NAME) Z Z

452314-77-1 CAPLUS

[1] Renzoprano[4,3-c] isoxazole, 3-[[4-[[1,1'-biphenyl]-3-ylmethyl]-1-piperazinyl] methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry.

452314-80-6 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[(2,4-dimethoxyphenyl)methyl]-1piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy- (9CI) (CA INDEX NAME) ¥ 5

<12/04/2007>

RN 452314-83-9 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[(3,4-dimethoxyphenyl)methyl]-1piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy- (9CI) (CA INDEX NAME)

RN 452314-86-2 CAPLUS
CN 3+[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[(2,4-dichlorophenyl]methyl]-1piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA
INDEX NAME)

Relative stereochemistry.

RN 452314-89-5 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[(3,4-dichlorophenyl)methyl]-1piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA
INDEX NAME)

Relative stereochemistry.

<12/04/2007>

Erich Leese

10/513699

RN 452314-92-0 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[(4-bromo-2-fluorophenyl)methyl]1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI)
(CA INDEX NAME)

Relative stereochemistry.

RN 452314-95-3 CAPLUS
CN 3H-[1]Benzepyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(1-methyl-1H-pyrrol-2-yl)methyl]]-, (3R,3aS)-rel-(9CI)
(CA INDEX NAME)

Relative stereochemistry.

RN 452314-98-6 CAPLUS
CN 3H-11]Benzapyranol(4,3-c)isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2-phenyl-1H-imidazol-4-yl)methyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel-(9CI) (CA INDEX NAME)

Erich Leese

Relative stereochemistry.

RN 452315-01-4 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-(2-thiazolylmethyl)-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

RN 452315-04-7 CAPLUS
CN 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2-grangle-friazoly])]-, (3R,3aS)-rel- (9CI)
(CA INDEX NAME)

Relative stereochemistry.

RN 452315-07-0 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-(2-furanylmethyl)-1piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA

<12/04/2007> Erich Leese

10/513699

INDEX NAME)

Relative stereochemistry.

RN 452115-10-5 CAPLUS
CN 34-[1] Benzopyrano[4,3-c]isoxazole, 3-[[4-[(5-bromo-2-furanyl)methyl]-1piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CL) (CA
INDEX NAME)

Relative stereochemistry.

RN 452315-13-8 CAPLUS
CN 3H-[1] Benzopyrano[4,3-c] isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(5-methyl-2-furanyl)methyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

RN 452315-16-1 CAPLUS CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-(3-furanylmethyl)-1-

Erich Leese

piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

452315-19-4 CAPLUS
31-(1)8-maropyrano(4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(3-phenyl-1.2,4-oxadiazol-5-yl)methyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel-(9C1) (CA INDEX NAME)

Z Z

Relative stereochemistry.

452315-22-9 CAPLUS
3a.4-dihydro-7,8-dimethoxy-3-[[4-[[5-pheny-1,3,4-yamol4,3-c]]]), (3r,3as)-rel-pheny-1,3,4-oxadiazol-2-yl)methyl]-1-piperazinyl]methyl]-, (3R,3as)-rel-(9C1) (CA INDEX NAME)

3 3

Relative stereochemistry.

RN 452315-24-1 CAPLUS

<12/04/2007>

Erich Leese

10/513699

CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-(2-thienylmethyl)-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

RN 452315-27-4 CAPLUS
CN 3+-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[(5-bromo-2-thienyl)methyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

RN 452315-30-9 CAPLUS
CN 34-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[(4-bromo-2-thienyl)methyl]-1piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA
INDEX NAME)

Relative stereochemistry.

Erich Leese

RN 452315-33-2 CAPLUS CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-(3-thienylmethyl)-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX

Relative stereochemistry.

RN 452315-36-5 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[(3R,5S)-3,5-dimethyl-4-(2-naphthalenylmethyl)-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI NUDEX NAME)

Relative stereochemistry.

RN 452315-38-7 CAPLUS
CN 3H-[1] Benzopyrano[4,3-c] isoxazole, 3-[[(2R,5S)-2,5-dimethyl-4-(2-naphthalenylmethyl)-1-piperazinyl] methyl] -3a,4-dihydro-7,8-dimethoxy-, (3S,3aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

<12/04/2007> Brich Leese

10/513699

RN 452315-40-1 CAPLUS
CN 3H-[1] Benzopyrano[4,3-c] isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[3-methyl-4-(2-naphthalenylmethyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

RN 452315-42-3 CAPLUS CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-(1-naphthalenylmethyl)-1-piperazinyl]methyl]- (9CI) (CA INDEX NAME)

RN 452315-44-5 CAPLUS
CN 34-11Benzopyranol [4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-(1-naphthalenylmethyl]-1-piperazinyl]methyl]-, dihydrochloride, (3R,3aS)-rel-(9CI) (CA INDEX NAME)

Relative stereochemistry.

<12/04/2007>

●2 HCl

452315-46-7 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(1-methoxy-2-naphthalenyl)methyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) S S

Relative stereochemistry.

S S

452315-48-9 CAPLUS
34-[1]Bencopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(6-methoxy-2-naphthalenyl)methyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

RN 452315-51-4 CAPLUS

<12/04/2007>

Erich Leese

10/513699

3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(3-methoxy-2-naphthalenyl)methyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI)
(CA INDEX NAME) Z

Relative stereochemistry.

452315-52-5 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(7-methyl-2-naphthalenyl)methyl]-1-piperazinyl]methyl}-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry.

452315-55-8 CAPLUS

[1] Renzopyrano[4,3-c] isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(6-methyl-2-naphthalenyl)methyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry.

RN 452315-58-1 CAPLUS
CN 3H-[1]8encopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(3-methyl-2-naphthalenyl)methyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI)
(CA INDEX NAME)

Relative stereochemistry.

RN 452315-61-6 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[(7-fluoro-2-naphthalenyl)methyl]1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI)
(CA INDEX NAME)

Relative stereochemistry.

RN 452315-63-8 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[(6-fluoro-2-naphthalenyl)methyl]1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-; (3R,3aS)-rel- (9CI)
(CA INDEX NAME)

Relative stereochemistry.

<12/04/2007> Erich Leese

10/513699

RN 452315-66-1 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[(5-fluoro-2-naphthalenyl)methyl]1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI)
(CA INDEX NAME)

Relative stereochemistry.

RN 452315-70-7 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[(5-chloro-2-naphthalenyl)methyl]1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI)
(CA INDEX NAME)

Relative stereochemistry.

RN 452315-73-0 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[(1-bromo-2-naphthalenyl)methyl]1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI)
(CA INDEX NAME)

Relative stereochemistry.

<12/04/2007>

RN 452315-76-3 CAPLUS
CN 3H-[1]Bearzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(5-nitro-2-naphthalenyl)methyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI)
(CA INDEX NAME)

Relative stereochemistry.

RN 452315-79-6 CAPLUS
CN 1-Naphthalenamine, 6-[[4-[[(3R,3aS)-3a,4-dihydro-7,8-dimethoxy-3H[1]benzopyrano[4,3-c]isoxazol-3-yl]methyl]-1-piperazinyl]methyl]-, rel(9CI) (CA INDEX NAME)

Relative stereochemistry.

RN 452315-82-1 CAPLUS
CN 1-Naphthalenanine, 6-[[4-[[[3R,]as]]-3a,4-dihydro-7,8-dimethoxy-3H[1] Denzopyrano[4,3-c] isoxazol-3-yl]methyl]-1-piperazinyl]methyl]-N,N-dimethyl-, rel- [91] (CA INDEX NAME)

<12/04/2007> Erich Leese

10/513699

Relative stereochemistry.

RN 452315-85-4 CAPLUS CN 3H-[1]Benzopyrano[4,3.

3-2511-20-4 CAFLOS 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[(6,7-difluoro-2-naphthalenyl]) methyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

RN 452315-87-6 CAPLUS
CN 3H-[1]Benzepyrano[4,3-c]isoxazole, 3-[[4-[[5,7-difluoro-2-naphthaleny]]nethyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-,
(3R,3aS)-rel-(9(1) (G1 INDEX NAME)

Relative stereochemistry.

RN 452315-90-1 CAPLUS

Erich Leese

CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[(7,8-difluoro-2naphthalenyl)methyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

RN 452315-92-3 CAPLUS
CN 3H-[1]Berzopyranol(4,3-c]isoxazole, 3-[[4-[(5-bromo-8-methoxy-2-naphthaleny])methyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

RN 452315-94-5 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-3-[[4-(1H-indol-2ylmethyl)-1-piperazinyl]methyl]-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA
INDEX NAME)

Relative stereochemistry.

<12/04/2007> Erich Leese

10/513699

RN 452315-97-8 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-3-[[4-(1H-indol-3ylmethyl)-1-piperazinyl]methyl]-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA
INDEX NAME)

Relative stereochemistry.

RN 452316-00-6 CAPLUS
CN 3+[1]Rearcepyrano(4,3-c]isoxazole, 3-[[4-(IH-benzimidazol-2-ylmethyl)-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, dihydrochloride, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

●2 HCl

RN 452316-03-9 CAPLUS
CN 3H-[1]Benzogyrano[4,3-c]isoxazole, 3-[[4-(2-benzofuranylmethyl)-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, dihydrochloride, [3R,3aS]-rel- (9I) (CA INDEX NAME)

Relative stereochemistry.

<12/04/2007>

●2 HC1

G R

452316-06-2 CAPLUS
3+(1)Benzopyranol(4,3-c]isoxazole, 3-[[4-(benzo[b]thien-2-ylmethyl)-1-piperazinyl]methyl]-3-d-dihydro-7,8-dimethoxy-, dihydrochloride, (3R,3aS)-rel-(9CI) (CA INDEX NAME)

Relative stereochemistry.

•2 HCl

RN 452316-09-5 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-(benzo[b]thien-3-ylmethyl)-1piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA
INDEX NAME)

Relative stereochemistry.

<12/04/2007> Erich Leese

10/513699

RN 452316-12-0 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-{[4-(2-quinolinylmethyl)-1-piperazinyl]methyl]- (9CI) (CA INDEX NAME)

RN 452316-15-3 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-(3-quinolinylmethyl)-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

RN 452316-18-6 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-(4-quinolinylmethyl)-1-piperazinyl]methyl]-, dihydrochloride, (3R,3aS)-rel-(9CI) (CA INDEX NAME)

Relative stereochemistry.

<12/04/2007>

●2 HCl

RN 452316-21-1 CAPLUS CN 34.4-dihydro-7,8-dimethoxy-3-[[4-(2-CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-(2-phenylethyl)-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

RN 452316-24-4 CAPLUS
CN 3H-[1]Benzogyrano[4,3-c]isoxazole, 3-[[4-[2-(1,3-benzodioxol-5-yl)ethyl]-1-piperazinyl]methyl]-3a.4-dihydro-7,8-dimethoxy-, dihydrochloride, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

•2 HCl

<12/04/2007> Erich Leese

10/513699

RN 452316-27-7 CAPLUS
CN 34-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[2-(2-nghthaleny])ethyl]-1-piperazinyl]methyl]-, dihydrochloride, (3R,3aS)-rel-(9CI) (CA INDEX NAME)

Relative stereochemistry.

●2 HCl

RN 452316-30-2 CAPLUS
CN 34-11Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[2-(1-naphthaleny])ethyl]-1-piperazinyl]methyl]-, dihydrochloride, (3R,3aS)-rel-(9CI) (CA INDEX NAME)

Relative stereochemistry.

•2 HCl

RN 452316-33-5 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-(3-phenylpropyl)-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

<12/04/2007> Erich Leese

10/513699

RN 452316-36-8 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-3-[[4-(1H-inden-2ylmethyl)-1-piperazinyl]methyl]-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA
INDEX NAME)

Relative stereochemistry.

RN 452316-39-1 CAPLUS
CN 3H-[1]Benzapyrano[4,3-c]isoxazole, 3-[[4-(1H-benzimidazol-2-ylmethyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel-(9CI) (CA INDEX NAME)

Relative stereochemistry.

RN 452316-42-6 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[2-(4-fluorophenoxy)ethyl]-1-piperaziny]]methyl]-3-4-dihydro-7,8-dimethoxy-, dihydrochloride, (3R,3aS)-rel-(9CI) (CA INDEX NAME)

Relative stereochemistry.

<12/04/2007>

Erich Leese

452316-45-9 CAPLUS
3-[1]Renzopyrano[4,3-c]isoxazole, 3-[[4-[2-(1,3-benzodioxol-5-yloxy)ethyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-,(3R,3aS)-rel-(9CI) (CA INDEX NAME)

Z Z

Relative stereochemistry.

●2 HCl

RN 452316-48-2 CAPLUS
CN H-Inden-1-one, 5-[2-[4-[[3R,3aS]-3a,4-dihydro-7,8-dimethoxy-3H[1]benzopyranol(4,3-c]isoxazol-3-yl]methyl]-1-piperazinyl]ethoxy]-2,3-dihydro-, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

RN 452316-51-7 CAPLUS

Erich Leese

CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[2-[(2,3-dihydro-5-benzofuranyl)oxy]ethyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-,
(3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

452316-53-9 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[2-(3-f]luorophenoxy)propyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CAINDEN NAME)

S S

Relative stereochemistry.

RN 452316-55-1 CAPLUS
CN 3(2H)-Benzogotrannon, 6-[2-[4-[[(3R,3aS)-3a,4-dihydro-7,8-dimethoxy-3H[1]benzogoyranno[4,3-c]isoxazol-3-yl]methyl]-1-piperazinyl]-1-methylethoxy], rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

<12/04/2007> Erich Leese

10/513699

RN 452316-58-4 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[[(2R)-6-fluoro-3,4,4a,8a-tetrahydro-2H-1-benzopyran-2-yJ]methyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

RN 452316-64-2 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-(1,3-benzodioxol-2-ylmethyl)-1piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA
INDEX NAME)

Relative stereochemistry.

RN 452316-66-4 CAPLUS CN 1-Propanone, 3-(4-[(13R,3aS)-3a,4-dihydro-7,8-dimethoxy-3H-[1)Denzopyrano(4,3-c]soxazol-3-yl]methyl]-1-piperazinyl]-1-phenyl-, rel-(9CI) (CA INDEX NAME)

Relative stereochemistry.

<12/04/2007> Erich Leese

452316-69-7 CAPLUS Z Z

1-Piperazinepropanol, 4-[[(3R,3aS)-3a,4-dihydro-7,8-dimethoxy-3H-[1]benzopyrano[4,3-c]isoxazol-3-yl]methyl]- a-phenyl-, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

452316-72-2 CAPLUS
1-Propanone, 3-14-[[3R,3aS]-3a,4-dihydro-7,8-dimethoxy-3H[1] Denzopyrano[4,3-c]isoxazol-3-yl]methyl]-1-piperazinyl]-1-phenyl-,
oxime, rel- (9CI) (CA INDEX NAME) **3 3**

Relative stereochemistry. Double bond geometry unknown.

3 3

452316-75-5 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aR)-rel- (9CI) (CAINDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

Erich Leese <12/04/2007>

10/513699

452316-81-3 CAPLUS 33-1.1]Benzopyrano(4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-(3-phenyl-2-propenyl)-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry unknown.

452316-84-6 CAPLUS
3H-[1] Benzopyrano[4,3-c] isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(22)-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) S S

Relative stereochemistry. Double bond geometry as shown.

2 K

452316-87-9 CAPLUS
3H-(11 Benzogyrano[4,3-c] isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-3]-(11 Benzogyrano[4,2-c]-propeny1]-1-piperaziny1]methyl]-, dihydrochloride, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

<12/04/2007>

Relative stereochemistry. Double bond geometry as shown.

•2 HCl

452316-89-1 CAPLUS

**LllBenczoprzano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-3-(3-methoxyphenyl)-2-propenyl]-1-piperazinyl]methyl]-, dihydrochloride, (3R,3aS)-rei- (9C) (Ca INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

■2 HC1

Z Z

452316-91-5 CAPLUS

##1[]Bencopyrano(4.3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-3-(4-methoxyphenyl)-2-propenyl)-1-piperazinyl]methyl]-, dihydrochloride, (3R,3aS)-rel- (9CI) (A INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

Erich Leese <12/04/2007>

10/513699

●2 HCl

452316-93-7 CAPLUS
3H-[1] Benzopyrano[4,3-c] isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[3-(4-phenoxyphenyl)-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI)
(CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry unknown.

452316-95-9 CAPLUS
3H-[1]Benzopyrano[4, 3-c] isoxazole, 3-c[[4-[(2E)-3-(2-fluorophenyl)-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel-(9CI) (0A INDEX NAME)

Z 25

Relative stereochemistry. Double bond geometry as shown.

RN 452316-97-1 CAPLUS

CN 3H-[1] Benzopyrano[4, 3-c] isoxazole, 3-[[4-[(2E)-3-(3-fluorophenyl)-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel-(9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

₹ 3

452316-99-3 CAPLUS
3H-[11Benzopyrano[4,3-c]isoxazole, 3-[[4-[3-(3-fluorophenyl]-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CL) (CAINDEX NAME)

Relative stereochemistry. Double bond geometry unknown.

S S

452317-02-1 CAPLUS
3H-[1].Benzopyrano[4,3-c]isoxazole, 3-[[4-[(2E)-3-(4-fluorophenyl)-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, dihydrochloride, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

Erich Leese <12/04/2007>

10/513699

●2 HCl

452317-04-3 CAPLUS
Aphth[1,2-c]isoxazole, 3-[[4-[(2E)-3-(4-fluorophenyl)-2-propenyl]-1-piperazinyl]methyl]-3,3a,4,5-tetrahydro-7,8-dimethoxy-, (3R,3aS)-rel-(+)-(9Cl) (CA INDEX NAME) 2 Z

Rotation (+). Absolute stereochemistry unknown. Double bond geometry as shown.

3 3

452317-06-5 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[3-(2-chlorophenyl)-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA

Relative stereochemistry. Double bond geometry unknown.

3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[3-(3-chlorophenyl)-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) 452317-08-7 CAPLUS Z Z

Relative stereochemistry. Double bond geometry unknown.

452317-10-1 CAPLUS
3H-[1]Benzopyrano(4,3-c]isoxazole, 3-[[4-[3-(4-chlorophenyl)-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3as)-rel- (9Cl) (CAINDEX NAME) S S

Relative stereochemistry. Double bond geometry unknown.

์ ฮ

452317-12-3 CAPLUS
4-(1)Benzopyrano[4,3-c]isoxazole, 3-[[4-[3-(2-bromophenyl)-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- [9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry unknown.

Erich Leese <12/04/2007>

10/513699

452317-14-5 CAPLUS

+ [1] # [1] # [1] # [4-[3-(3-bromopheny]] - 2-propeny] - 1-properazinyl] methyl] - 3a, 4-dihydro-7, 8-dimethoxy-, (3R, 3aS) - rel- (9CI) (CA INDEX NAME) **3** 3

Relative stereochemistry. Double bond geometry unknown.

452317-16-7 CAPLUS

4-1]Benzopyrano[4,3-c]isoxazole, 3-[4-[3-(4-bromopheny]]-2-propeny]]-1-piperazinnj]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CAINDEX NAME) 2 E

Relative stereochemistry. Double bond geometry unknown.

452317-18-9 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[3-[2-(trifluoromethyl)phenyl]-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel-(pCI) (CA INDEX NAME) £ 5

Erich Leese

Relative stereochemistry. Double bond geometry unknown.

Z Z

452317-20-3 CAPLUS

H.I]Bencopyranol(4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[3-[3-[3-[1:liluoromethy]]phenyl]-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel-(9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry unknown.

Z Z

Relative stereochemistry. Double bond geometry unknown.

Erich Leese <12/04/2007>

10/513699

452317-24-7 CAPLUS
3H-[1] Benzogyyano[4, 3-c] isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[3-[2-(1,1,2,2-terrafluoroethyl) phenyl]-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) S S

Relative stereochemistry. Double bond geometry unknown.

452317-26-9 CAPLUS
Benzoic acid, 4-[[(3R,3aS)-3a,4-dihydro-7,8-dimethoxy-3H[1)benzopyrano[4,3-c]:soxazol-3-yl]methyl]-1-piperazinyl]-1-propenyl]-,
methyl ester, rel- (9CI) (CA INDEX NAMS) Z Z

Relative stereochemistry. Double bond geometry unknown.

452317-28-1 CAPLUS

Benzoic acid, -13-(4-[[(3R,3aS)-3a,4-dihydro-7,8-dimethoxy-3H[1]benzopyzand,9.4-cijsxoazol-3-yl]methyl]-1-piperazinyl]-1-propenyl]-,
methyl ester, rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry unknown.

452317-30-5 CAPLUS
4F11]Renzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[3-(3-nitrophenz)]-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) S S

Relative stereochemistry. Double bond geometry unknown.

452317-32-7 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[3-(2-nitrophenyl)-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry unknown.

452317-34-9 CAPLUS

4-11]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[3-(3-methy]phenyl)-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

<12/04/2007>

Erich Leese

10/513699

Relative stereochemistry. Double bond geometry unknown.

452317-36-1 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[3-(3-phenoxyphenyl)-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI)
(CA INDEX NAME) G RN

Relative stereochemistry. Double bond geometry unknown.

452317-38-3 CAPLUS
Benzonitrile, 2-[3-[4-0[(3R,3aS)-3a,4-dihydro-7,8-dimethoxy-3H[1]benzopyrano[4,3-c]soxazol-3-yl]methyl]-1-piperazinyl]-1-propenyl]-,
rel- (9CI) (CA INDEX NAME) S S

Relative stereochemistry. Double bond geometry unknown.

S S

452317-40-7 CAPLUS Benzonitrile, 3-13-[4-[[(3R,3aS)-3a,4-dihydro-7,8-dimethoxy-3H-[1]benzopyrano[4,3-c]isoxazol-3-yl]methyl]-1-piperazinyl]-1-propenyl]-, rel- (9Cl) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry unknown.

3 3

452317-42-9 CAPLUS
Benzonitrile, 4-[1(3R,3aS)-3a,4-dihydro-7,8-dimethoxy-3H[1]benzopyrano[4,3-c]isoxazol-3-yl]methyl]-1-piperazinyl]-1-propenyl]-,
rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.. Double bond geometry unknown.

452317-44-1 CAPLUS

+ [1] Renzopyrano[4,3-c] isoxazole, 3-[[4-(3-[1,1'-biphenyl]-2-yl-2-propenyl)-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel-(9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry unknown.

Erich Leese

<12/04/2007>

10/513699

452317-46-3 CAPLUS
3H-[1] Benzopyrano[4,3-c] isoxazole, 3-[(4-[3-(3,4-difluorophenyl)-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy- (9CI) (CA INDEX NAME) CS SS

<u>5</u> 452317-48-5 CAPLUS
3H-[I]Benzopyrano[4,3-c]isoxazole, 3-[[4-[3-[2,4-difluorophenyl]-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy- (9CI)
INDEX RNME) CS RS

452317-50-9 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[3-(2,3-difluorophenyl)-2-propenyl]--piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy- (9CI) (CAINDEX NAME) Z Z

452317-52-1 CAPLUS
4F.11]Bencopyranol(4,3-c]isoxazole, 3-[[4-[3-(2,6-difluorophenyl)-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel-(9CI) (CA INDEX NAME) £ 5

Relative stereochemistry. Double bond geometry unknown.

452117-54-3 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[3-(2,5-difluorophenyl)-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel-(9CI) (CA INDEX NAME) **3** 5

Relative stereochemistry. Double bond geometry unknown.

452317-56-5 CAPLUS Z

<12/04/2007>

Erich Leese

10/513699

CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[3-(3,5-difluorophenyl)-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel-(9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry unknown.

3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[3-(2,6-dichlorophenyl)-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel-(9CI) (CA INDEX NAME) 452317-58-7 CAPLUS ₹ 8

Relative stereochemistry. Double bond geometry unknown.

452317-60-1 CAPLUS

1-[1]Benzoprano[4,3-c]isoxazole, 3-[[4-[3-(2-chloro-4-fluorophenyl]-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy- [9CI] (CA INDEX NAME) C. E.

<12/04/2007>

E E

Relative stereochemistry. Double bond geometry unknown.

452317-67-8 CAPLUS

**LilBenzopyrano[4,3-c]isoxazole, 3-[4-[(2E)-3-(2,3-dihydro-1H-inden-5-yl)-2-propenyl]-1-piperazinyl]nethyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

452317-69-0 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[3-(2,3-dihydro-1,4-benzodioxin-6-Z Z

<12/04/2007>

10/513699

yl)-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry unknown.

452317-71-4 CAPLUS
3H-[1]Benzogyzano[4,3-c]isoxazole, 3-[[4-[3-(9H-fluoren-2-yl)-2-propenyl]1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI)
(CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry unknown.

452317-73-6 CAPLUS
3H-[11Benzopranol4,3-c]isoxazole, 3-[[4-[3-(2-dibenzofurany1)-2-propenyl]1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI)
(CA INDEX NAME) S S

Relative stereochemistry. Double bond geometry unknown.

452317-76-9 CAPLUS - (3-1) 150xazole, 3-[(4-[(2E)-3-(1,3-benzodioxol-5-y1)-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel-(9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

452317-79-2 CAPLUS
3H-[I]Bencopyranol(4,3-c]isoxazole, 3-[[4-[(2E)-3-(2,3-dihydro-5-benzofuranyl)-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-(3R,3aS)-rel-(9CI) [(9CI NUEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

452317-82-7 CAPLUS
4-11-8encopyranol(4.3-c]isoxazole, 3-[[4-[3-(4,5-dimethoxy-2-nitrophenyl)-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9C) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry unknown.

<12/04/2007>

10/513699

452317-84-9 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[3-(3-thienyl)-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry unknown.

452317-86-1 CAPLUS
4F11]sencopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-3-(3-thienyl)-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel-(+)- [9CI) (CA INDEX NAME) S S

Rotation (+). Absolute stereochemistry unknown. Double bond geometry as shown.

452317-89-4 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-3-(3-thienyl)-2-propenyl]-1-piperaçinyl]methyl]-, (3K,3aS)-rel-(-)- (9CI) Z Z

Erich Leese

(CA INDEX NAME)

Rotation (-). Absolute stereochemistry unknown. Double bond geometry as shown.

Z Z

452317-92-9 CAPLUS
4-11]Bencopyranol(4,3-c]isoxazole, 3-[[4-[3-(4-bromo-2-thienyl)-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel-9cl) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry unknown.

Z Z

Br

452317-94-1 CAPLUS
3H-[1] Benzogyrano[4, 3-c] isoxazole, 3-[[4-[3-(5-bromo-2-thienyl)-23H-[1] Benzogyrano[4, 3-c] isoxazole, 3-[4-[3-(5-bromo-2-thienyl)-2propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel(9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry unknown.

Erich Leese <12/04/2007>

10/513699

452317-96-3 CAPLUS

4-1]. [18enzopyrano [4,3-c] isoxazole, 3-[[4-[3-(2-furanyl)-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) S S

Relative stereochemistry. Double bond geometry unknown.

452317-99-6 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[3-(3-pyridinyl)-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) S S

Relative stereochemistry. Double bond geometry unknown.

452318-02-4 CAPLUS
3H-[1]Renzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[3-(2-pyridinyl)-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) S S

Relative stereochemistry. Double bond geometry unknown.

452318-04-6 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[3-[5-(4-chlorophenyl)-2-furanyl]-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry unknown.

452318-07-9 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[3-(2-naphthaleny])-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA Z 5

Relative stereochemistry. Double bond geometry unknown.

452318-09-1 CAPLUS

**H.[1]*Bencopyrano[4,3-c]*isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-3-(1-naphthalenyl)-2-propenyl]-1-piperazinyl]methyl]-, dihydrochloride, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

<12/04/2007>

Erich Leese

10/513699

Relative stereochemistry. Double bond geometry as shown.

●2 HCl

452318-11-5 CAPLUS
3H-(11Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[3-[4-gquinoliny])-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) S S

Relative stereochemistry. Double bond geometry unknown.

452318-13-7 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[3-(2-quinoliny1)-2-propeny1]-1-piperaziny1]methy1]-, (3R,3aS)-rel- (9CI) (CAINDEX NAME) Z Z

Relative stereochemistry. Double bond geometry unknown.

452318-15-9 CAPLUS 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[3-(9-anthracenyl)-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy- (9CI) (CA INDEX NAME) Z Z

PAGE 1-A

PAGE 2-A

452318-18-2 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethòxy-3-[[4-[[2E]-1-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI)

Erich Leese

<12/04/2007>

Z Z

10/513699

(CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

452318-20-6 CAPLUS
3H-[11Benzopyrano[4, 3-c] isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel-(+)-(9CI) (CA INDEX NAME) Z Z

Rotation (+). Absolute stereochemistry unknown. Double bond geometry as shown.

452318-22-8 CAPLUS
3H-[1] Benzopyzano[4, 3-c] isoxazole, la,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, dihydrochloride, laR,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

●2 HCl

3H-[1]Benzopyrano[4,3-c]isoxazole, 3a.4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel-(-)-(9CI) (CA INDEX NAME) 452318-24-0 CAPLUS Z Z

Rotation (-). Absolute stereochemistry unknown. Double bond geometry as shown.

S S

δ

CRN 452318-26-2 CMF C27 H33 N3 O4

Relative stereochemistry. Double bond geometry as shown.

Erich Leese

<12/04/2007>

10/513699

N £ CRN 110-17-8 CMF C4 H4 O4

Double bond geometry as shown.

452318-30-8 CAPLUS
3H-[1]Benzopyranol(4,3-C]isoxazole, 3-[[(2R,5S)-2,5-dimethyl-4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) 2 2

Relative stereochemistry. Double bond geometry as shown.

2 Z

452318-32-0 CAPLUS
3H-[1] Benzzoyprano(4,3-c]isoxazole, 3-[[(3R,5S)-3,5-dimethyl-4-[(2E)-2-methyl-3-phenyl-2-properazinyl]methyl]-3-phenyl-2-properazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

452318-34-2 CAPLUS
3H-[1] Benzopyranole, 3-c]isoxazole, 3-[[(2R,6S)-2,6-dimethyl-4-[(2E)-2-methyl-3-phenyl-2-propenyl-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

452318-16-4 CAPLUS

4F11]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2Z)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) S 53

Relative stereochemistry. Double bond geometry as shown.

452318-38-6 CAPLUS 3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-(2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]- (9CI) (CA INDEX NAME) $\overset{C}{\mathbb{N}}\overset{K}{\mathbb{N}}$

Erich Leese

<12/04/2007>

10/513699

452318-41-1 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-(2,3-diphenyl-2-propenyl)-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy- (9CI) (CA INDEX NAME)

S S

Ph-CH-C-CH2

452318-43-3 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-(2-[1,1'-biphenyl]-4-yl-3-phenyl-2-propenyl)-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) C &

Relative stereochemistry. Double bond geometry unknown.

Erich Leese

Z 53

452318-45-5 CAPLUS
4F1]Renzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[2-(2-naphthalenyl)-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel-(9C1) (CA_INDEX_RAME)

Relative stereochemistry. Double bond geometry unknown.

452318-47-7 CAPLUS

**I]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[2-[phenylmethylene]butyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry unknown.

452318-49-9 CAPLUS
451318-49-9 CAPLUS
49-1] Benczopyrano [4,3-c] isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-2-(phenylmethylne Z Z

Relative stereochemistry. Double bond geometry as shown.

Erich Leese <12/04/2007>

10/513699

452318-52-4 CAPLUS
3H-[1]Benzopyrano[4, 3-c] isoxazole, 3-[[4-[(22]-2-bromo-3-phenyl-2-propenyl]-1-piperazinyl] methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel-(9C1) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

452318-54-6 CAPLUS
3H-[11Benzogyrano[4, 3-C]isoxazole, 3-[[4-[(22]-2-chloro-3-phenyl-2-propenyl-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel-pcropenyl-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel-pcl) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

452318-57-9 CAPLUS
3H-[1]Benzopyrano[4, 3-c]isoxazole, 3-[[4-[(22)-2-fluoro-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel-(9C1) (CA INDEX NAME) Z Z

Erich Leese

Relative stereochemistry. Double bond geometry as shown.

S S

452318-60-4 CAPLUS
1-Pipcerazineproparentirile, 4-[[(3R,3aS)-3a,4-dihydro-7,8-dimethoxy-3H-1)-benzopyzano[4,3-c)isoxazol-3-yl]methyl] - a-(phenylmethylene) -, (a2)-rel- (9Cl) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

Z Z

452318-63-7 CAPLUS
4F1[]Bencopyrano[4,3-c]isoxazole, 3-[[4-[3-[4-(1,1-dimethylethyl)]phenyl]-2-methyl-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-,(3R,3aS)-rel-(9CI) (CAINDEX NAME)

Relative stereochemistry. Double bond geometry unknown.

Erich Leese <12/04/2007>

10/513699

452318-65-9 CAPLUS
3H-[1]Benzopyrano[4, 3-c]isoxazole, 3-[[4-(3-[1,1'-biphenyl]-4-yl-2-methyl-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry unknown.

452318-67-1 CAPLUS
3H-[1]Benzopyrano[4,13-C]isoxazole, 3-[[4-[[22]-3-(4-fluorophenyl)-2-methyl-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) S S

Relative stereochemistry. Double bond geometry as shown.

452318-69-3 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[(2Z)-3-(3-fluorophenyl)-2-methyl-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) S S

Relative stereochemistry. Double bond geometry as shown.

<12/04/2007>

452318-71-7 CAPLUS
3H-[1]Benzogyarano[4,3-c]isoxazole, 3-[[4-[(2E)-3-(3-fluorophenyl)-2-methyl-3-fllBenzogyarano[4,3-c]isoxazole, 3-[[4-[(2E)-3-(3-fluorophenyl)-2-methyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9Cl) (CA INDEX NAME) S S

Relative stereochemistry. Double bond geometry as shown.

452318-73-9 CAPLUS
3H-[1]Benzogyrano[4,3-c]isoxazole, 3-[[4-[(2E)-3-(4-fluorophenyl)-2-methyl2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-,
[3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

Z Z

452318-75-1 CAPLUS
3H-[1]Benzopyrano[4, 3-c]isoxazole, 3-[[4-[[2E]-3-(4-fluorophenyl]-2-methyl-2-propenyl]-1-piperazinyl]methyl]-3a-4-dihydro-7,8-dimethoxy-,
[3R, 3aS]-rel-(-)-(9CI) (CA INDEX NAME)

<12/04/2007>

10/513699

Rotation (-). Absolute stereochemistry unknown. Double bond geometry as shown.

452318-77-3 CAPLUS
3H-[11Benzogyrano[4,2-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-3]-(2-methoxyphenyl)-2-methyl-2-propenyl]-1-piperazinyl]methyl]-,
(3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

452318-79-5 CAPLUS
3H-[11Benzogyrano[4, 3-c]isoxazole, 3-[[4-[(2E)-3-(2-chloro-6-fluorophenyl)-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) S S

Relative stereochemistry. Double bond geometry as shown.

452318-81-9 CAPLUS

3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[(2Z)-3-(2,5-difluorophenyl)-2-methyl-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) S S

Relative stereochemistry. Double bond geometry as shown.

452318-83-1 CAPLUS
41.[1]eenzopyrano[4,3-c]isoxazole, 3-[[4-[[4]-3-c]-3-[2,5-difluorophenyl]-2-methyl-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, [3R,3aS]-rel- (9CI) (CA INDEX NAME) S S

Relative stereochemistry. Double bond geometry as shown.

3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[(22)-3-(2,3-difluorophenyl)-2-methyl-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) 452318-85-3 CAPLUS 3 3

Relative stereochemistry. Double bond geometry as shown.

Erich Leese

<12/04/2007>

10/513699

452318-87-5 CAPLUS
451218-87-5 (2.3-difluorophenyl)-2452318-87-2-propenyl]--piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-,
(3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

452318-89-7 CAPLUS
31-[18erzopyranol(4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[2-3h-11]-1,3-11-naphthalenyl)-2-propenyl]-1-piperazinyl]methyl]-,
(3R,3aS)-rel- (9CI) (CA INDEX NAME) S. S.

Relative stereochemistry. Double bond geometry unknown.

452318-91-1 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-(2H-1-benzopyran-3-ylmethyl)-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CAINDEX RAME) ₹ S

Erich Leese

Relative stereochemistry.

452318-93-3 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-3-phenyl-2-butenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

452318-95-5 CAPLUS
4F11]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-3-phenyl-2-butenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel-(+)- (9CI) (CA INDEX NAME) S S

Rotation (+). Absolute stereochemistry unknown. Double bond geometry as shown.

RN 452318-97-7 CAPLUS

<12/04/2007>

Erich Leese

10/513699

CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[{4-[(2E)3-phenyl-2-butenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel-(-)- (9CI) (CA
INDEX NAME)

Rotation (-). Absolute stereochemistry unknown. Double bond geometry as shown.

452318-99-9 CAPLUS Phenol, 3-{(12)-3-[4-[[(3R,3aS)-3a,4-dihydro-7,8-dimethoxy-3H-[1]benzopyrano[4,3-c]isoxazol-3-yl]methyl]-1-piperazinyl]-1-methyl-1-propenyll-, rel- (9CI) (CA INDEX NAME) G K

Relative stereochemistry. Double bond geometry as shown.

452319-01-6 CAPLUS
3H-[1]Benzopyzano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-3+1]]Benzy]-2-buteny]]-1-piperaziny]]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) S E

Relative stereochemistry. Double bond geometry as shown.

452319-03-8 CAPLUS
4-11]Bencopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-2-methyl-3-(2-thienyl)-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel-(9CI) (CA INDEX NAME) S S

Relative stereochemistry. Double bond geometry as shown.

452319-05-0 CAPLUS
4-11]Renzopyranol(4,3-c]isoxazole, 3-[[4-[(2E)-3-(2,5-dimethyl-3-thienyl)-2-methyl-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, [3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

452319-07-2 CAPLUS #/[1]Senzopyrano[4]-c]isoxazole, 3-[(4-[(2E)-3-(2-furany])-2-methyl-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel-(9CI) (CA INDEX NAME) 2 Z

Erich Leese <12/04/2007>

10/513699

Relative stereochemistry. Double bond geometry as shown.

452319-09-4 CAPLUS
3H-[1]Benzopyyrano[4, 3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-2-methyl-3-(3-pyridinyl)-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel-(9CI) (CA INDEX NAME) CN N

Relative stereochemistry. Double bond geometry as shown.

452319-11-8 CAPLUS
3H-[1]Benzopyzano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-2-methyl-3-(2-methyl-4-thiazolyl)-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

Erich Leese

RN 452319-13-0 CAPLUS
CN 31-(1)Eorzopyrano(4,3-c)isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2-phenyl-1-cyclopenten-1-yl)methyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel-(9C1) (CA INDEX NAME)

Relative stereochemistry.

RN 452319-15-2 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-(3-phenyl-2-propynyl)-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

RN 452319-17-4 CAPLUS
CN 3H-[1]Benzopyrano(4,3-c]isoxazole, 3-[[4-[3-[2-(4-fluorophenyl)-1,3-dioxolan-2-y]propyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel-(9CI) (CA INDEX NAME)

Relative stereochemistry.

<12/04/2007> Erich Leese

10/513699

RN 452319-20-9 CAPLUS
CN 3+[1]Renzopyrano[4,3-c]isoxazole, 3-[[4-[3-(4-fluorophenoxy)propyl]-1piperaziny]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA
INDEX NAME)

Relative stereochemistry.

RN 452319-22-1 CAPLUS
CN 3H-[1]Benzogyano(4,3-c)isoxazole, 3-[[4-[(2E)-4-(2-fluorophenyl)-2-methyl-2-butenyl]-1-pipezazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

RN 452319-24-3 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4[(2E,4E)-5-phenyl-2,4-pentadienyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel-

Erich Leese

(CA INDEX NAME) (BCI) Relative stereochemistry. Double bond geometry as shown.

Z Z

452319-25-4 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-3-[[4-[(2E)-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

452319-27-6 CAPLUS

Benzoic acid, 4-[LIE.3-[4-[[(3R,3aS)-3a,4-dihydro-3H-[1]benzopyrano[4,3-c]isoxazol-3-yl]methyl]-1-piperazinyl]-1-propenyl]-, methyl ester, rel-(9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

Z Z

452319-29-8 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 7-fluoro-3a,4-dihydro-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI)

<12/04/2007>

10/513699

(CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

452319-31-2 CAPLUS 3H-[1]Benzopyrano[4,3-c]isoxazol-7-ol, 3a,4-dihydro-3-[[4-[(2E)-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3K,3aS)-rel- (9CI) (CA INDEX NAME) £ 5

Relative stereochemistry. Double bond geometry as shown.

452319-33-4 CAPLUS 3H-[1]Benzopyrano[4,3-c]isoxazol-7-ol, 3a,4-dihydro-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) S S

Relative stereochemistry. Double bond geometry as shown.

452319-35-6 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7-methoxy-3-[[4-[(2E)-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) 28

Relative stereochemistry.

<12/04/2007>

Double bond geometry as shown.

452319-37-8 CAPLUS
3H-[1]Bancapyranol(4,3-c]isoxazole, 3a,4-dihydro-7-methoxy-3-[[4-[(2E)-3-pheny1-2-propeny1]-1-piperaziny1]methy1)-, dihydrochloride, [3R,3aS)-rel-(+)- (9L) (CA INDEX NAME) Z Z

Rotation (+). Absolute stereochemistry unknown. Double bond geometry as shown.

●2 HCl

452319-39-0 CAPLUS
31-(1)Benzopyranol(4,3-c)isoxazole, 3a,4-dihydro-7-methoxy-3-[[4-[(2E)-3-pheny1-2-propeny1]-1-piperaziny1]methy1]-, dihydrochloride, (3R,3aS)-rel-(-)- (9CI) (CA INDEX NAME) S S

Rotation (-). Absolute stereochemistry unknown. Double bond geometry as shown.

●2 HC1

<12/04/2007>

10/513699

452319-41-4 CAPLUS

**I.!Bencopyrano[4,3-c]isoxazole, 3a,4-dihydro-7-methoxy-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI)

(CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

```
422319-67-4P 452319-69-6P 452319-71-0P
422319-73-2P 452319-69-6P 452319-71-0P
452319-73-2P 452319-80-1P 452319-77-6P
452319-83-4P 452319-80-1P 452319-87-6P
452319-83-4P 452319-85-6P 452319-87-6P
452310-95-8P 452319-97-0P 452319-93-6P
452320-01-3P 45220-03-9P 452320-16-8P
452320-13-7P 45220-15-9P 452320-11-5P
452320-13-7P 45220-15-9P 452320-13-9P
452320-13-3P 452220-27-3P 452320-29-5P
452320-13-4P 452220-31-4P 452320-39-5P
452320-44-4P 452220-46-P 452320-46-4P
452320-44-4P 452220-46-P 452320-46-4P
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              452121-23-2P 452121-25-4P 452321-27-6P 452321-29-8P 452321-11-2P 452321-33-4P 452321-45-6P 452321-43-6P 452321-43-6P 452321-43-6P 452321-43-6P 452321-43-6P 452321-43-6P 452321-45-6P 452321-45-6P 452321-45-6P 452321-45-4P 452321-55-0P 452321-57-2P 452321-59-4P 452321-61-8P 452934-93-9P
452319-43-6P 452319-45-8P
452319-49-2P 452319-51-6P
452319-55-0P 452319-57-2P
452319-61-8P 452319-63-0P
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 452320-62-6P 452320-64-8P
452320-68-2P 452320-70-6P
452320-74-0P 452320-76-2P
452320-80-8P 452320-82-0P
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    452320-86-4P 452320-88-6P
452320-92-2P 452320-94-4P
452320-98-8P 452321-00-5P
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         452321-04-9P 452321-06-1P
452321-10-7P 452321-12-9P
452321-16-3P 452321-19-6P
H
```

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(target compound, preparation and pharmaceutical activity of substituted isoxazolines as anti-depressants)
452119-43-6 CAPLUS
3H-[1]Benzopyrano[4,3.c]isoxazole, 3a,4-dihydro-7-(2-methoxyethoxy)-3-[[4-([2E)-2-methy1-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel-(9CI) (CA INDEX NAME)

Z Z

Relative stereochemistry. Double bond geometry as shown.

452319-45-8 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7-[(2-nethoxyethoxy)-3-[[4-([2E]-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

S S

452319-47-0 CAPLUS
3H-11Benzogyrano[4,3-c]isoxazole, 3a,4-dihydro-7-[(2inchoxy-thoxy)methoxy]-1[(4-((2B)-2-methyl-3-phenyl-2-propenyl]-1piperazinyl]methyl]-, (3R,3aS)-rel- (9Cl) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

<12/04/2007>

Erich Leese

10/513699

452319-49-2 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3a.4-dihydro-7-[(2-methoxyethoxy)methoxy]-3-[[4-[(2E)-2-methy]-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, dihydrochloride, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

•2 HCl

452319-51-6 CAPLUS
Carbanic acid, ethyl., (3R,3aS)-3a,4-dihydro-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl] 3H-[l]benzopyrano[4,3-G]isoxazol-7-yl ester, rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

3H-[1]Benzopyrano[4,3-c]isoxazol-7-ol, 3a,4-dihydro-3-[[4-[(2E)-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, acetate (ester), (3R,3aS)-rel- (9CI) (CA INDEX NAME) 452319-53-8 CAPLUS S S

Relative stereochemistry. Double bond geometry as shown.

Z Z

452319-55-0 CAPLUS
3H-[1]Benzopyrano(4,3-c)isoxazol-7-ol, 3a,4-dihydro-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, acetate (ester), (3R,3aS)-rel-(9CI) (GA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

452319-57-2 CAPLUS
3H-IllBenzogyrano[4,2]-15pcrazal-7-ol, 3a,4-dihydro-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, propanoate (ester), (3R,3aS)-rel-(9CI) (CA INDEX NAME) S S

Relative stereochemistry. Double bond geometry as shown.

Z Z

452319-59-4 CAPLUS
Acetic acid, methoxy., (3R,3aS)-3a,4-dihydro-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-3H-[1]benzopyrano[4,3-c]isoxazol-7-ylester, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

Erich Leese <12/04/2007>

10/513699

£ 5

452319-61-8 CAPLUS Cyclopropanacarboxylic acid, (3R,3aS)-3a,4-dihydro-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-3H-[1]benzopyrano[4,3-c]isoxazol-7-yl ester, rel-(9C1) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

452319-63-0 CAPLUS Propanoic acid, 2,2-dimethyl-, (3R,3aS)-3a,4-dihydro-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-3H-[I]benzopyrano[4,3-c]isoxazol-7-yl ester, rel- (9Cl) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

2 Z

452319-65-2 CAPLUS 2-Propenoic acid, (3,3aS)-3a,4-dihydro-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-3H-[1]benzopyrano[4,3-c]isoxazol-7-ylester, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

<12/04/2007>

452319-67-4 CAPLUS

3H-[1]Benzopyrano[4,3-c]isoxazole, 7-(cyclopentyloxy)-3a,4-dihydro-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel-(9Cl) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

S. S.

Relative stereochemistry. Double bond geometry as shown.

Z Z

452319-71-0 CAPLUS Ethanamine, 2-[[(3R,3aS)-3a,4-dihydro-3-[[4-[(2E]-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-3H-[1]benzopyrano[4,3-c]isoxazol-7-yl]oxy]-N.N-dimethyl-, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

<12/04/2007>

Erich Leese

10/513699

Z Z

452319-73-2 CAPLUS
3H-[1]Benzogyrano[4,3-c]isoxazol-7-ol, 3a,4-dihydro-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, hydrogen sulfite (ester), (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

452319-75-4 CAPLUS
31-[1]Benzopyrano[4,3-c]isoxazole, 8-chloro-3a,4-dihydro-3-[[4-[[2E]-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

452319-77-6 CAPLUS
3H-[1]Benzopyrano (4.3-c)isoxazole, 8-chloro-3a,4-dihydro-7-methoxy-3-[[4[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel[9C1) (CA INDEX NAME) Z S

Relative stereochemistry. Double bond geometry as shown.

S S

452319-78-7 CAPLUS 3H-[1]Benzopyrano[4,3-c]isoxazole, 8-bromo-3a,4-dihydro-3-[[4-[(2E)-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

C. P.

452319-80-1 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 8-bromo-3a,4-dihydro-3-[[4-[(2E)-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel-(+)- (9CI) (CAINDEX NAME)

Rotation (+). Absolute stereochemistry unknown. Double bond geometry as shown.

£ 5

452319-81-2 CAPLUS
3H-[1]Benzopyrano[4,3-clisoxazole, 8-bromo-3a,4-dihydro-3-[[4-[(2E)-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel-(-)- (9CI) (CA

Erich Leese <12/04/2007>

10/513699

INDEX NAME)

Rotation (-). Absolute stereochemistry unknown. Double bond geometry as shown.

452319-83-4 CAPLUS
3H-[11.Benzopyrano[4,3-c]isoxazole, 7,8-difluoro-3a,4-dihydro-3-[[4-[(2E)-2-np-nyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI)
(CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

452319-85-6 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 8-fluoro-3a,4-dihydro-7-methoxy-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel-(9CI) (CA INDEX NAME) S E

Relative stereochemistry. Double bond geometry as shown.

452319-87-8 CAPLUS 3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-8-phenyl-3-[[4-[(2E)-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) S S

Relative stereochemistry. Double bond geometry as shown.

452319-89-0 CAPLUS 31-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-8-methyl-3-[[4-[(2E)-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

452319-91-4 CAPLUS
3H-[1] Benzopyranol (4,3-c) isoxazole, 8-fluoro-3a,4-dihydro-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-7-(methylthio)-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

Erich Leese

<12/04/2007>

10/513699

452319-93-6 CAPLUS

#11]Bencapyrano[4,3-c]isoxazole-7,8-diol, 3a,4-dihydro-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, dihydrochloride, (3R,3aS)-rel- (9CI) (CA INDEX NAME) S S

Relative stereochemistry. Double bond geometry as shown.

●2 HCl

452319-95-8 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazol-8-ol, 3a,4-dihydro-7-methoxy-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) G 25

Relative stereochemistry. Double bond geometry as shown.

Erich Leese

452319-97-0 CAPLUS Z Z

3H-[1]Benzopyrano[4,3-c]isoxazol-8-ol, 3a,4-dihydro-7-methoxy-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, acetate (ester), (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

Z Z

452319-99-2 CAPLUS Ethanol, 2-[(4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl-3H-[1]benzopyrano[4,3-c]isoxazol-8-ylloxyl-, acetate (ester), rel- (9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

2 E

452120-01-3 CAPLUS 3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-8-methoxy-3-[[4-[(2E)-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

Erich Leese <12/04/2007>

10/513699

452320-03-5 CAPLUS
4F1[]8enzopyrano[4,3-c]isoxazol-7-ol, 3-[[4-[(2E)-3-(3-fluorophenyl)-2-methyl-2-propenyl]-1-piperzainyl]methyl]-3a,4-dihydro-8-methoxy-, acetate (ester), (3R,3aS)-rel- (9CI) (CA INDEX NAME) £ 5

Relative stereochemistry. Double bond geometry as shown.

452320-06-8 CAPLUS
#1[]Benzoprazno[4,3-c]isoxazol-7-ol, 3-[[4-[(2E)-3-(4-fluorophenyl)-2-methyl-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-8-methoxy-, acetate (ester), (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

452320-07-9 CAPLUS
31-[1]Bencapyranol(3.c]isoxazol-7-01, 3-[[4-[(2E)-3-(4-fluorophenyl)-2-propenyl]-1-piperazinyl]methyl]-34-dihydro-8-methoxy-, acetate (ester), [3R,3a6]-rel-(9CI) (CA INDEX NAME) 2 Z

Relative stereochemistry. Double bond geometry as shown.

S S

452320-09-1 CAPLUS
3H-[1] BERZORYZENO[4, 3-C] isoxazole, 7-(cyclopropylmethoxy)-3-[[4-[(2E)-3-(4-Eluorophenyl)-2-methyl-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-8-methoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

452320-11-5 CAPLUS

Cyclopropanecarboxylic acid, (3R,3aS)-3a,4-dihydro-8-methoxy-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-3H-[1]benzopyrano[4,3-c]isoxazol-7-yl ester, rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

Erich Leese <12/04/2007>

10/513699

3-Pyridinecarboxylic acid, (3R,3aS)-3a,4-dihydro-8-methoxy-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-3H-[1]benzopyrano[4,3-c]isoxazol-7-yl ester, rel- (9CI) (CA INDEX NAME) 452320-13-7 CAPLUS CS RS

Relative stereochemistry. Double bond geometry as shown.

S S

452320-15-9 CAPLUS carbamic acid, ethyl., (3R,3aS)-3a,4-dihydro-8-methoxy-3-[[4-[(2E)-2-carbyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl.3H-[1]benzopyrano[4,3-c]isoxazol-7-yl ester, rel. (9Cl) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

452320-17-1 CAPLUS Ethanamine, 2-[[48,3a8]-3a,4-dihydro-8-methoxy-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-3H-[1]benzopyrano[4,3-c]isoxazol-7-yl]oxyl-N,N-dimethyl-, rel- [9CI] (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

452320-19-3 CAPLUS
3H-[1]Benzogyrano[4,3-c]isoxazole, 3a,4-dihydro-8-methoxy-7-[(2-methoxyehoxy)methoxy)-3-[[4-[(2B)-2-methyl.3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

452320-21-7 CAPLUS cacid, (81,345)-38,4-dihydro-8-methoxy-3-[[4-[(2E)-2-methyl-3-Phenyl-2-propenyl]-1-piperazinyl]methyl]-3H-[1]benzopyrano[4,3-c]isoxazol-7-yl methyl ester, rel- (9Cl) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

3 3

452120-23-9 CAPLUS

[1] Benzopyrano[4,3-c] isoxazole, 3a,4-dihydro-8-methoxy-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-7-(2-propenyloxy)-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

<12/04/2007>

Erich Leese

Relative stereochemistry. Double bond geometry as shown.

S S

452320-25-1 CAPLUS
Ethanol, 2-[(18,8,348)-3a,4-dihydro-8-methoxy-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-3H-[1]benzopyranol[4,3-c]isoxazol-7yl]oxyl-, dihydrochloride, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

●2 HCl

452120-27-3 CAPLUS
3H-[1]Benzopyrano[4,3-C]isoxazol-7-ol, 3a,4-dihydro-8-methoxy-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, methanesulfonate (ester), (3R,3aS)-rel- (9Cl) (CA INDEX NAME) **3 3**

Relative stereochemistry. Double bond geometry as shown.

452120-29-5 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-8-methoxy-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI)
(CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

452320-31-9 CAPLUS
31-(1]Bensopyrano[4,3-c]isoxazole, 3a,4-dihydro-8-methoxy-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-7-phenyl-, (3R,3aS)-rel-(9CI) (CA INDEX NAME) **3 3**

Relative stereochemistry. Double bond geometry as shown.

452320-34-2 CAPLUS
34-11Barapyranol(4,3-c]isoxazole, 3a,4-dihydro-8-methoxy-3-[[4-[(2E)-2-8]+1]labarapyranol(4,3-c]isoxazole, 3a,4-dihydro-8-methoxy-3-[[4-[(2E)-2-2-gropenyl]-1-piperazinyl]methyl]-7-(methylthio)-, (3E,3aS)-rel-, mono(trifluoroacetate) (9CI) (CA INDEX NAME) 2 Z

<12/04/2007>

10/513699

δ

452320-33-1 C27 H33 N3 O3 S CRN

Relative stereochemistry. Double bond geometry as shown.

£

76-05-1 C2 H F3 O2 CRN

452320-36-4 CADLUS Isoxazolo[4,3-c]quinoline, 3,3a,4,5-tetrahydro-3-[[4-[(2E)-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aR)-rel- (9CI) (CA INDEX NAME) S S

Relative stereochemistry. Double bond geometry as shown.

S S

452320-38-6 CAPLUS Isoxazolo[4,3-c]quinoline, 3,3a,4,5-tetrahydro-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aR)-rel- (9CI) (CA INDEX NAME)

<12/04/2007>

Relative stereochemistry. Double bond geometry as shown.

Z Z

452320-40-0 CAPLUS Isoxazolo[4,3-c]quinoline, 3,3a,4,5-tetrahydro-7,8-dimethoxy-3-[[4-[(2E)-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

452320-42-2 CAPLUS Isoxazolo[4,3-c]quinoline, 3-[[4-[(2E)-3-(3-fluorophenyl)-2-propenyl]-1-piperazinyl]methyl]-3,3a,4,5-tetrahydro-7,8-dimethoxy-, (3R,3aR)-rel-(9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

Z 3

452120-44-4 CAPLUS Isoxazolo[4,3-c]quinoline, 3-[[4-[(2E)-3-(3-fluorophenyl)-2-propenyl]-1-piperazinyl]methyl]-3,3a,4,5-tetrahydro-7,8-dimethoxy-, (3R,3aR)-rel-(+)-

<12/04/2007>

10/513699

(9CI) (CA INDEX NAME)

Rotation (+). Absolute stereochemistry unknown. Double bond geometry as shown.

452320-46-6 CAPLUS 1soxazolo[4,3-c]quinoline, 3-[[4-[(2E)-3-(3-fluorophenyl)-2-propenyl]-1-piperazinyl]methyl]-3,3a,4,5-tetrahydro-7,8-dimethoxy-, (3R,3aR)-rel-(-)-(9CI) (CA INDEX NAME) S S

Rotation (-). Absolute stereochemistry unknown. Double bond geometry as shown.

452320-48-8 CAPLUS
Isoxazolo[4,3-c]quinoline, 3-[[4-[(2E)-3-(4-fluorophenyl)-2-propenyl]-1-piperazinyl]methyl]-3,3a,4,5-tetrahydro-7,8-dimethoxy-, (3R,3aR)-rel-{9CI} (GI INDEX NRME) ₩ S

Relative stereochemistry. Double bond geometry as shown.

15oxazolo[4,3-0]quinoline, 3,3a,4,5-tetrahydro-7-methoxy-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aR)-rel- (9CI) (CA INDEX NAME) 452320-50-2 CAPLUS Z Z

Relative stereochemistry. Double bond geometry as shown.

452320-52-4 CAPLUS Stokazolo[4,3-c]quinoline, 3,3a,4,5-tetrahydro-5-methyl-3-[[4-[(2E)-3-phsyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aR)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

S S

452120-54-6 CAPLUS CAPLUS CAPLUS 3,3a,4,5-tetrahydro-7,8-dimethoxy-5-methyl-3-[[4-[(2B)-2-methyl-3-propenyl]-1-piperazinyl]methyl]-, (3R,3aR)-rel- (2G) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

Erich Leese <12/04/2007>

10/513699

452320-56-8 CAPLUS Isoxazololi,3.3a,4,5-tetrahydro-7-methoxy-3-[[4-[(2E)-2-methyl-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-5-(phenylmethyl)-, (3R,3aR)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

452320-58-0 CAPLUS Isoxasolo(4,3-olguinoline, 3,3a,4,5-tetrahydro-7,8-dimethoxy-3-[[4-[(2E)-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-5-(trifluoroacetyl)-, (3R,3aR)-rel- (9CI) (CA INDEX NAME) S S

Relative stereochemistry. Double bond geometry as shown.

452320-60-4 CAPLUS Soxazaclo (4,3-c) quinoline, 3,3a,4,5-tetrahydro-3-[[4-[(2E)-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-5-(trifluoroacetyl)-, (3K,3aR)-rel- (9CI) (CA INDEX NAME) 2 2

Relative stereochemistry. Double bond geometry as shown.

Z Z

452320-62-6 CAPLUS Isoxazolo[4,3-c]quinoline, 5-acetyl-3,3a,4,5-tetrahydro-3-[[4-[(2E)-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aR)-rel- (9CI) (CA INDEX

Relative stereochemistry. Double bond geometry as shown.

452120-64-8 CAPLUS Isoxazolo[4,3-c]quinoline-5(3H)-carboxylic acid, 3a,4-dihydro-3-[[4-[(2E)-3-phenyl-2-propenyl-1-piperazinyl]methyl]-, ethyl ester, (3R,3aR)-rel-9CI) (CA INDEX NAME) S 5

Relative stereochemistry. Double bond geometry as shown.

452320-66-0 CAPLUS Isoxazolo[4,3-c]quinoline-5(3H)-carboxamide, N-ethyl-3a,4-dihydro-3-[[4-[(2E)-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aR)-rel- (9CI) (CA INDEX NAME) **3 3**

Relative stereochemistry. Double bond geometry as shown.

Erich Leese <12/04/2007>

10/513699

452320-68-2 CAPLUS
Naphrh[1,2-Clisoxazole, 3,3a,4,5-tetrahydro-7-methoxy-3-[[4-[(2E)-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, dihydrochloride, (3R,3aR)-rel- (9CI)
(CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

●2 HCl

452120-70-6 CAPLUS
Naphth[1,2-c]isoxazole, 3,3a,4,5-tetrahydro-3-[[4-[(2E)-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-, (3R,3aR)-rel- (9CI) (CA INDEX NAME) S S

Relative stereochemistry. Double bond geometry as shown.

452330-72-8 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-3-[[4-(phenylmethyl)-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Relative stereochemistry. Z Z

452320-74-0 CAPLUS Z. Erich Leese

CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-3-[[4-(3-phenylpropyl)-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

Z Z

Relative stereochemistry.

●2 HCl

S S

452320-78-4 CAPLUS

H [1] Benczopyrano [4, 3-c] isoxazole, 3a,4-dihydro-7-[(2-methoxyethoxy) methoxyy=1,3-[[4, (2-naphthalenylmethyl)-1-piperazinyl]methyl], (3R,3aS)-rel- (9Cl) (CA INDEX NAME)

Relative stereochemistry.

PAGE 1-A

Erich Leese <12/04/2007>

10/513699

PAGE 1-B

/ OMe

(CA INDEX 3H-[1]Benzopyrano[4,3-c]isoxazol-7-ol, 3a,4-dihydro-3-[[4-(2-naphthalenylmethyl)-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) 452320-80-8 CAPLUS 2 Z

Relative stereochemistry.

452320-82-0 CAPLUS
4-11]Bencopyrano[4,3-c]isoxazole, 7-(cyclopropylmethoxy)-3a,4-dihydro-3-[[4-(2-naphthalenylmethyl)-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) £ 5

Relative stereochemistry.

452320-84-2 CAPLUS
3H-[1] Benzopyrano[4,3-c] isoxazole, 7-(difluoromethoxy)-3a,4-dihydro-3-[[4-(2-naphthalenylmethyl)-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry.

Erich Leese

Z Z

452120-86-4 CAPLUS

[1] Renzopyrano [4,3-c] isoxazole, 3a,4-dihydro-3-[[4-(2-naphthalenylmethyl)-1-piperazinyl] methyl]-7-[(tetrahydro-3-furanyl) oxy]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry

452120-88-6 CAPLUS
4F11]encopyrano[4,3-c]isoxazol-7-ol, 3a,4-dihydro-3-[[4-(2-naphthalenylmethyl]-1-piperazinyl]methyl]-, acetate (ester), (3R,3aS)-rel-(9CI) (CA INDEX NAME) CS SS

Relative stereochemistry.

452120-90-0 CAPLUS
4-11]Bencopyrano[4,3-c]isoxazol-7-ol, 3a,4-dihydro-8-methoxy-3-[[4-(2-naphthalenylmethyl]-1-piperazinyl]methyl]-, acetate (ester), (3R,3aS)-rel-(9Cl) (CA INDEX NAME) £ 5

Relative stereochemistry.

452120-92-2 CAPLUS 3H-[1]Benzopyrano[4,3-c]isoxazol-7-ol, 3a,4-dihydro-8-methoxy-3-[[4-[(2E)-3-phenyl-2-butenyl]-1-piperazinyl]methyl]-, acetate (ester), (3R,3aS)-rel-28

Erich Leese <12/04/2007>

10/513699

(9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

452320-94-4 CAPLUS
4F1218cncspyranol (4,3-c)isoxazole, 3-[[4-[(2E)-3-(2-fluorophenyl)-2-butenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel-(9Cl) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

452320-96-6 CAPLUS

##1.[1]Remopyranol(4,3-c)isoxazole, 3-[[4-[(2E)-3-(3-fluorophenyl)-2-butenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel-(9Cl) (CA INDEX NAME) S S

Relative stereochemistry. Double bond geometry as shown.

Z Z

452320-98-8 CAPLUS
3H-[1]Bencopyrano[4,3-c]isoxazole, 3-[[4-[(2E)-3-(4-fluorophenyl)-2-butenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel-(9Cl) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

Z Z

Relative stereochemistry. Double bond geometry as shown.

452121-02-7 CAPLUS
4-11]sencepyranol(4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-3-[3-[1-(trifluoromethyl)phenyl]-2-butenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

Erich Leese <12/04/2007>

10/513699

452321-04-9 CAPLUS
3H-[1]Benzogyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-3]-(1]-t]thoromethyl]phenyl]-2-butenyl]-1-piperazinyl]methyl]-,
(3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

452321-06-1 CAPLUS

[1] Bencapyrano [4,3-c] isoxazole, 3-[[4-[(2E)-3-(2-chlorophenyl)-2-butenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel-(9Cl) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

452321-08-3 CAPLUS

[1] Bencapyrano [4,3-c] isoxazole, 3-[[4-[(2E)-3-(3-chlorophenyl)-2-butenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel-(9Cl) (CA INDEX NAME) S S

Relative stereochemistry. Double bond geometry as shown.

2 S

452321-10-7 CAPLUS

4-113encopyranol(4)-clisoxazole, 3-[4-[(2E)-3-(4-chlorophenyl)-2-butenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel-(9Cl) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

452321-12-9 CAPLUS
4F1].Renzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-3-(4-methylphenyl)-2-butenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI)
(CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

Erich Leese <12/04/2007>

10/513699

452321-14-1 CAPLUS

3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-3-(2-methoxyphenyl)-2-butenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

2 S

452121-16-3 CAPLUS
3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-3-(3-methoxyphenyl)-2-butenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

452121-19-6 CAPLUS
3H-[11Benzogyrano[4,3-c]isoxazole, 3-[[4-[(22)-3-f]uoro-3-phenyl-2-propenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-,dihydrochloride, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. Double bond geometry as shown.

●2 HC1

RN 452321-21-0 CAPLUS
CN 3+[1] IBenopyrano[4,3-c] isoxazole, 3-[4-[(2E)-3-(2,4-difluorophenyl)-2-butenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel-(9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

RN 452131-23-2 CAPLUS
CN 3H-[1]Bennopyrano(1,3-c]isoxazole, 3-[(4-[(2E)-3-(3,4-difluorophenyl)-2-butenyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel-(9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

<12/04/2007> Erich Leese

10/513699

RN 452321-25-4 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-3-(2-pyriding))-2-butenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI)
(CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

RN 452321-27-6 CAPLUS

CN 34-(11)Benzoyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[(4-[(2E)-13-2)-2]-2-butenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI)

Relative stereochemistry. Double bond geometry as shown.

RN 452321-29-8 CAPLUS
CN 34-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7,8-dimethoxy-3-[[4-[(2E)-3-(2-thienyl)-2-butenyl]-1-piperazinyl]methyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown. <12/04/2007> Erich Leese

RN 45231-31-2 CAPLUS
CN 3H-[1]Benzopyrano[4,3-c]isoxazole, 3-[[4-[(2E)-3-(2-furanyl)-2-butenyl]-1piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA
INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

RN 452321-33-4 CAPLUS
CN isoxacolo[4,-2-c]quinoline, 3-[[4-[(4-chlorophenyl)methyl]-1piperazinyl]methyl]-3,3a,4,5-tetrahydro-7,8-dimethoxy-, (3R,3aR)-rel[9C1] (CA INDEX NAME)

Relative stereochemistry.

RN 452321-35-6 CAPLUS
CN Isoxacolo[4,-2-6]quinoline, 3-[[4-[2-(4-fluorophenoxy)ethyl]-1piperazinyl]methyl]-3,3a,4,5-tetrahydro-7,8-dimethoxy-, (3R,3aR)-rel(9CI) (CA INDEX NAME)

<12/04/2007> Erich Lees«

10/513699

Relative stereochemistry.

RN 452321-37-8 CAPLUS
CN Isoxazolo(4,3-c)quinoline, 3,3a,4,5-tetrahydro-7,8-dimethoxy-3-[[4-[(2E)-3-phenyl-2-butenyl]-1-piperazinyl]methyl]-, (3R,3aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry. Double bond geometry as shown.

RN 452321-39-0 CAPLUS
CN Isoxazolo[4,3-c]quinoline, 3,3a,4,5-tetrahydro-7,8-dimethoxy-3-[[4-(2-napthalenylmethyl)-1-piperazinyl]methyl]-, (3R,3aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

RN 452321-41-4 CAPLUS
CN Isoxazolo[4,3-c]quinoline, 3,3a,4,5-tetrahydro-7,8-dimethoxy-3-[[4-(6-quinolinylmethyl)-1-piperazinyl]methyl]-, (3R,3aR)-rel- (9CI) (CA INDEX

Erich Leese

NAME)

Relative stereochemistry.

RN 452321-43-6 CAPLUS
CN Isoxacolo(4,-2-ciquinoline, 3-[[4-[(5-fluoro-2-naphthalenyl)methyl]-1piperazinyl]methyl]-3,3a,4,5-tetrahydro-7,8-dimethoxy-, (3R,3aR)-rel(CI) (CA INDEX NAME)

Relative stereochemistry.

RN 452321-45-8 CAPLUS
CN Isoxazolo[4,3-c]guinoline, 3,3a,4,5-tetrahydro-7,8-dimethoxy-3-[[4-[2-(2-nathythalenyloxy)ethyl]-1-piperazinyl]methyl]-, (3R,3aR)-rel- (9CI) (CA-INDEX NAME)

Relative stereochemistry.

RN 452321-47-0 CAPLUS

<12/04/2007>

Erich Leese

10/513699

CN Isoxazolo[4,3-c]quinoline, 3,3a,4,5-tetrahydro-5-methyl-3-[[4-(2-naphthalenylmethyl)-1-piperazinyl]methyl]-, (3R,3aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

RN 452321-55-0 CAPLUS

CN 34-[1]Benzopyrano[4,3-c]isoxazole, 3a,4-dihydro-7-methoxy-3-[2-[4-(2-napthalenylmethyl)-1-piperazinyl]ethyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

RN 452321-57-2 CAPLUS
CN 3H-[1]Benzogytano[4,3-c]isoxazole-3-methanamine, 3a,4-dihydro-7,8-dimethoxy-8-methyl-N-[1-(2-naphthalenylmethyl)-4-piperidinyl]-, (3R,3aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

<12/04/2007> Erich Leese

452321-59-4 CAPLUS
Commanide, N-[[[3]x, 3aS]-3a, 4-dihydro-7, 8-dimethoxy-3H-[1]benzopyrano[4, 3-c]isoxazol-3-yl]methyl]-N-[1-(2-naphthalenylmethyl)-4-piperidinyl]-, rel-(9CI) (CA INDEX NAME) Z Z

Relative stereochemistry.

452321-61-8 CAPLUS Z Z

1-Piperazinemethanamine, 4-[[(3R,3aS)-3a,4-dihydro-7,8-dimethoxy-3H-[1]benzopyrano[4,3-c]isoxazol-3-yl]methyl]-N-2-naphthalenyl-, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

452934-93-9 CAPLUS (43-c) isoxazole, 3-[[4-[(7-fluoro-2,3,4a,8a-tetrahydro-1,4-dioxino[2,3-b] pyridin-3-yl)methyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry. [§]

Erich Leese <12/04/2007>

10/513699

452934-94-0 CAPLUS
3H-[1]Benzograno[4,3-C]isoxazole, 3-[[4-[[6-f]luoro-3,4,4a,8a-tetrahydro-4-nethyl-2H-1,4-benzoxazin-2-yl)methyl]-1-piperazinyl]methyl]-3a,4-dihydro-7,8-dimethoxy-, (3R,3aS)-rel- (9CI) (CA INDEX NAME) Z Z

Relative stereochemistry.

THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT N REFERENCE COUNT:

=> d ibib abs hitstr 2-6

Preparation of novel 4,5-dihydroisoxazole derivatives and their use as pharmaceuticals for T cell-mediated L5 ANSWER 2 OF 6 CAPLUS COPTRIGHT 2007 ACS on STN ACCESSION NUMBER: 2000.260283 CAPLUS DOCUMENT NUMBER: 132:293757 TITLE: Prenaration of accession accessi diseases INVENTOR (S) :

Freyne, Eddy Jean Edgard; Andres-Gil, Jose Ignacio, Deroose, Frederik Dirk; Petit, Davy Petrus Franciscus Maria; Matesanz-Ballesteros, Maria Encarnacion; Alvarez Escobar, Rosa Maria danssen Pharmaceutica N.V., Belg. PCT Int. Appl., 108 pp.

English LANGUAGE:
FAMILY ACC. NUM. COUNT:
PATENT INFORMATION: PATENT ASSIGNEE(S): SOURCE: DOCUMENT TYPE:

APPLICATION NO DATE KIND PATENT NO.

DATE

	į										ļ	į				;										
	19991007	G.	넊	ξ	SK,	AZ,		DE,	f)		007	007		Ц		007	007	007	007	406	115	331	600	007	406	
		g,	Ü	۲, د	SI,	Ā		ઇ	В,		19991007	19991007		SE, MC, PT,		19991007	19991007	19991007	19991007	20010406	20020115	2003033	19981009	19991007	20010406	
		3	Ę	뎚,	SG,	ZE,		CH,	BF,		Ä	7		SE,									E F		A3 20	
	WO 1999-EP7803	Œ,	표,	Ę,	SE,	ZA,		BE,	SE,		CA 1999-2346396	EP 1999-953847		Ä,			AU 2000-10393	AT 1999-953847	ES 1999-953847	• •	HK 2002-100274	US 2003-403543		WO 1999-EP7803 W	~	
		₹ (Œ,	ĽŠ,	SD,	ď,		AT,	PT,	Ę				ΓΩ,											σ	
				ĽŘ,				ZW,	Ĕ,	SN, TD,				GB, GR, IT, LI, LU, NL,											2001-807149	
				ĘĶ,				ğ	ů,	N.				ť											11-8	
				Ľ,	т, Т	us, ı		TZ, t	i,	Θ,				ξ, 												
				KZ, I				Z, 1	II, I	я, Ж				m											SD	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	A1 20000420						~				20000420	20010801	20040218			20020827	20030724	20040315	20041016	20030624	20040618	53				3757
		,;	E.	KP, KR,	ž,	.; 5	 E	S.	.;	Σ.				ES, FR,	_							20040129				MARPAT 132:293757
														ä	ξ,							200				132
			EE,		Ä,	Ę		Ψ¥,	8	Ğ,	_	_	_	, DK,	, FI,		~		_	_	_	_				RPAT
				KE,							A1	Al	BI	DE,		H	m	H	H	m	×	×				MA
	WO 2000021959			Ę,							396	568			Ė			03	579	141	565	US 2004019059	PRIORITY APPLN. INFO.:			(S) :
				IS,				Ŗ,	ES,	IJ,				BE,	SI,	38										
		ΑĒ,	ζ2,	Ľ,	ÄĞ,	SĽ,	ВY,	Ŗ,	ĎĶ,	ģ			268	AT,	IE,	2002527438	9									
		3						KW:			2346396	1119568	1119568	쯗		2002	763460	259803	2216579	6583141	1038565	2004	APP			RCE
1	WO 2										5	EP]	EP]			B		AT 2		us e	H J	US 2	ITY			300
																							RIOR			OTHER SOURCE(S): GI
																							D,			00

The invention concerns title compds. I and their N-oxides, pharmaceutically acceptable addition salts, quaternary ammonium salts, and stereochem. isomeric forms [wherein m. n, p = 0 or 1; H = (un)substituted pyridinyl, pyridatinyl, pyrimidinyl, pyrazinyl or phenyl; B = amide, ketone, or oxadiazole; D = (un)substituted aryl or heterocylyl; Q = bond, CO, (un)substituted NH, CONH, CT2, CH(:CH2), C(:NH), SO, SO, 3-oxobutenyl, pyrazole, isoxazole, or thiazole nucleus; L = (un)substituted aryl or heteroraryl; R2, R3 = H, halo, C1-6 alkyloxy, or (un)substituted C1-6 alkyloxy, alkorishing them, and their medical use. The compds. show growth inhibitory activity ΑB

Erich Leese <12/04/2007>

10/513699

for use in the treatment of prevention of rhemmatic, and inflammatory diseases, psoriasis, T cell leukemia, transplant rejection, and and graft-vs.-host disease. For instance, base-catalyzed cycloaddn. of N-hydroxy-3-pyridinecarboxinidoyl chloride with Me 2-propenoate gave 8* Me 4,5-dihydro-1-(3-pyridingyl)-5-isoxazolecarboxylate, which was amidated with (4-aminophenyl)phenylmethanone to give 58* title compound II. At a concentration of 10-6 M, II gave 81* inhibition of T cell blast formation in human whole blood. The compds. are claimed against T cell blasts and keratinocytes in vitro.

RL: RCT (Reactant); RACT (Reactant or reagent)
(starting material; preparation of dihydroisoxazole derivs. as
antiproliferatives and immunomodulators)
264606-57-7 CAPLUS
ISOXAZOLO[4, 3-c] quinoline-3-carboxylic acid, 3,3a,4,5-tetrahydro- (9CI)
(CA INDEX NAME) 264606-57-7 H

Z Z

HO₂C

Fig. BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPM (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses) (target compound; preparation of dihydroisoxazole derive. as antiprollferatives and immunomodulators) 2646661-8 CAPLUS Piperidine, 4-(4-fluorobenzoyl)-1-[[(3R,3aR)-3,3a,4,5-tetrahydroisoxazole(4,3-c)quinolin-3-yl]carbonyl]-, rel- (9CI) (CA INDEX 264606-16-8P II

E E

Relative stereochemistry.

THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT 9 REFERENCE COUNT:

JS COPYRIGHT 2007 ACS on STN 1997:431584 CAPLUS 127:149098 LE ANSWER 3 OF 6 CAPLUS
ACCESSION NUMBER: 195
DOCUMENT NUMBER: 127 Erich Leese

A convenient synthesis of 3- and 3,4-substituted 4,5-dihydroisoxazole-5-acetic acids Eichinger, Karl; Wokurek, Michael; Zauner, Bernd; AUTHOR (S): TITLE:

oŧ Rostami, Mohammad Reza Institute of Organic Chemistry, Vienna University Technology, Vienna, A-1060, Austria 2733-2742 CORPORATE SOURCE:

SOURCE:

CODEN: SYNCAV; ISSN: 0039-7911

CASREACT 127:149098 English LANGUAGE: OTHER SOURCE(S): GI PUBLISHER: DOCUMENT TYPE:

The 4,5-dihydroisoxazole-5-acetic acids I [RI = Ph, Me, 4-CIC6H4, 4-PhC6H4, R2 = H, SPh, OPh, 4-CIC6H4, R12 = (CH2)10, 1.2.3, 4-terrahydronaphth-1.2-diyl] were prepared from the ketoximes RIC(CH2R2):NOH, 2,2-dimethyl-5-methoxymethylene-1,3-dioxan-4,6-dione and butylithium in yields from 35 to 79 %.

RI: SPN (Synthetic preparation); PREP (Preparation) (Preparation of isoxazoleacetic acids)
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-7
193267-45-2 H

(CA INDEX NAME) £ 5

Relative stereochemistry.

THERE ARE 16 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT 16 REFERENCE COUNT:

CAPLUS COPYRIGHT 2007 ACS on STN 1959:228191 122:81272 Nitrile oxide [3 + 2] cycloaddition: application to the synthesis of 6-substituted 3(2H)-pyridazinones and 6-substituted 4,5-dihydro-4-hydroxy-3(2H)-pyridazinones L5 ANSWER 4 OF 6 ACCESSION NUMBER: DOCUMENT NUMBER:

Erich Leese

<12/04/2007>

10/513699

English
OTHER SOURCE(S):
CASREACT 122:81272
AB An efficient method for the preparation of 6-substituted 3(2H)-pyridazinones and 6-substituted 4,5-dihydro-4-hydroxy-3(2H)-pyridazinones starting from 3,5-disubstituted 4,5-dihydroisoxazoles is described. N-O bond cleavage of the isoxazoline ring promoted by molybdenum hexacarbonyl or by ROCHGACH(OH)COSE (I, R = Me, Bu, 2-, 4-pyridyl, 4-HOCH6H) which were converted into 6-substituted 4,5-dihydro-4-hydroxy-1(2H)-pyridazinones for 6-substituted 3(2H)-pyridazinones on treatment with hydrazine hydrate at room temperature or reflux in high yield starting from I. An intramol. version of this methodol. has been developed to prepare the known antiulcer III-pyridazino-1-2-1-6-Pyridazin-3(2H)-one. Baraldi, P. G.; Bigoni, A.; Cacciari, B.; Caldari, C.; Manfredini, S.; Spalluto, G. Dipartimento & Scienze & Scienze at Scienze at Scienze at Scienze & Synthesis (1994), (11), 1158-62 CODE: SYNTBF; ISSN: 0039-7881 (Reactant or reagent)
(nitrile oxide [3 + 2] cycloaddn. to pyridazinones)
160427-31-6 CAPLUS
31-(1]Benzopyrano(4.3-c)isoxazole-3-carboxylic acid, 3a,4-dihydro-, methylester (9CI) (CA INDEX NAME) RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT DOCUMENT TYPE: LANGUAGE: OTHER SOURCE(S): CORPORATE SOURCE: AUTHOR (S): PUBLISHER: SOURCE:

Ħ

Z Z

L5 ANSWER 5 OF 6 CAPLUS COPYRIGHT 2007 ACS on STN ACCESSION NUMBER: 1995:94454 CAPLUS DOCUMENT NUMBER: 123:111970

TITLE:

Pyridazin-3(2H)-ones via A2-isoxazoline intermediates: synthetic studies Baraldi, Pier Giovanni; Spalluto, Giampiero; Manfredini, Stefano; Simoni, Daniele Dipartimento di Scienze Parmaceutiche, Universita di Perrara, Ferrara, Italy Acta Chimica Slovenica (1994), 41(2), 149-72 Journal AUTHOR (S):

CORPORATE SOURCE:

SOURCE:

DOCUMENT TYPE: LANGUAGE: GI

An efficient method for the preparation of 6-substituted-4,5-dihydro-3(2H)pyridazinones I (R = alkyl, benzyl, etc.) was described. The synthetic strategy is based on d2-isoxazolines chemical which were unmasked by N-0 bond cleavage and cyclized to the target compound Utilizing the same approach was possible to obtain both 6-substituted-3(2H)-pyridazinones and 6-substituted-4hydroxy-4,5-dihydro-3(2H)-pyridazinones. This protocol was also extended to a C-nucleoside starting from \$\text{f-ribofuranosyInitromethane}\$. Moreover, an intramol. version of this method: has been developed to prepare a known antiulcer tricyclic \$\text{3(2H)-pyridazinone}\$. The nucleal transformation of compds. I into the corresponding 3-(1-naphthyl) propionic acid Et ester derivs. was also reported. 160427-31-6P RL: RCT (Reactant), SPN (Synthetic preparation); PREP (Preparation), RACT AB

(preparation of benzpyranopyridazinone) (Reactant or reagent)

H

Z Z

A general synthetic route to fused furans. Total synthesis of (+) pallescensin A Shishido, Kozo; Umimoto, Koji; Ouchi, Mikiko; Irie, Oamu; Omodani, Tomoki; Takata, Takeshi; Shibuya, Masayuki L5 ANSWER 6 OF 6 CAPLUS COPYRIGHT 2007 ACS ON STN ACCESSION NUMBER: 1993:234262 CAPLUS 1993:234262 CAPLUS 118:234262 DOCUMENT NUMBER: AUTHOR (S):

Inst. Med. Resour., Univ. Tokushima, Tokushima, 770, Japan CORPORATE SOURCE:

Journal of Chemical Research, Synopses (1993), (2), 58-9 CODEN: JRPSDC; ISSN: 0308-2342

SOURCE:

DOCUMENT TYPE: LANGUAGE: GI

<12/04/2007>

Erich Leese

. 10/513699

III

AB A general and facile synthetic route to fused furans has been developed. The key step of the transformation involves the intramol. [13-2] dipolar cycloaddm. reaction of nitrile oxides which were generated in situ from the corresponding oxima acetates. Reductive hydrolysis of the resulting dihydroisoxazoles followed by alkaline hydrolysis provided (h)? dihydroxy ketones which were immediately treated with a catalytic amount of p-colonesulfonic acid to afford the fused furans I (R = Me. R H = Me). Alternatively, the alcs., derived by hydrolysis of the dihydroisoxazoles were submitted to a sequential reductive hydrolysis and acid treatment to provide I. Addnl. dihydroisoxazole alcs., prepared from com. available phthalide, were similarly treated to give the tricyclic fused furans II (R = H, Me, R = H) in reasonable yields. The methodol. developed here has been successfully applied to a total synthesis of (+)-pallescensin A (III) starting with (+)-Wieland-Wiescher ketone. AB H

(Reactant or reagent)

(preparation and deacetylation of)
17378-13-0 (ARDUS
Naphth[1,2-c]isoxazole-3-methanol, 3,3a,4,5-tetrahydro-a-methyl-, acetate (estet), [34(8*),3a4] - (9CI) (CA INDEX NAME) Z Z

147511-14-6 CAPLUS Naphth[1,2-c]isoxazole-3-methanol, 3,3a,4,5-tetrahydro- α -methyl-, acetate (ester), [3 α (R*),3a α]- (9CI) (CA INDEX NAME) S S

147378-22-1P 147511-12-4P

<12/04/2007>

Relative stereochemistry.

RN 147511-12-4 CAPLUS CN Nabhthil.2-clisoxazole-3-methanol, 3,3a,4,5-tetrahydro-α-methyl-, [3α(R*),3aα]- (9CI) (CA INDEX NAME)

Relative stereochemistry.